

*The WHO Recommended  
Classification of  
Pesticides by Hazard*  
*and*  
**Guidelines to Classification  
2004**

Corrigenda published by 12 April 2005 incorporated  
Corrigenda published on 28 June 2006 incorporated



UNEP

United Nations Environment Programme



International Labour Organization



World Health Organization

**IPCS**

International Programme on Chemical Safety

**IOMC** INTER-ORGANIZATION PROGRAMME FOR THE SOUND  
MANAGEMENT CHEMICALS

*A cooperative agreement among UNEP, ILO, FAO, WHO, UNIDO, UNITAR & OECD*



## **WHO Library Cataloguing-in-Publication Data**

### **World Health Organization.**

**The WHO recommended classification of pesticides by hazard and guidelines to classification : 2004.**

**1.Pesticides - toxicity 2.Pesticides - classification 3.Hazardous substances - classification 4.Guidelines I.International Programme on Chemical Safety..II.Title.**

**ISBN 92 4 154663 8  
ISSN 1684-1042**

**(NLM classification: WA 240)**

**© World Health Organization 2005**

All rights reserved. Publications of the World Health Organization can be obtained from Marketing and Dissemination, World Health Organization, 20 Avenue Appia, 1211 Geneva 27, Switzerland (tel: +41 22 791 2476; fax: +41 22 791 4857; email: [bookorders@who.int](mailto:bookorders@who.int)). Requests for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – should be addressed to Marketing and Dissemination, at the above address (fax: +41 22 791 4806; email: [permissions@who.int](mailto:permissions@who.int)).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either express or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

Cover design: J-C. Fattier, Graphic Design and Layout, WHO.

## **THE WHO RECOMMENDED CLASSIFICATION OF PESTICIDES BY HAZARD AND GUIDELINES TO CLASSIFICATION 2004**

The WHO Recommended Classification of Pesticides by Hazard was approved by the 28th World Health Assembly in 1975 and has since gained wide acceptance. When it was published in the WHO Chronicle, 29, 397-401 (1975), an annex, which was not part of the Classification, illustrated its use by listing examples of classification of some pesticidal active ingredients and their formulations. Later suggestions were made by Member States and pesticide registration authorities that further guidance should be given on the classification of individual pesticides. Guidelines were first issued in 1978, and have since been revised and reissued at 2-3-year intervals.

As has been the case for previous editions of the classification, this edition complies with the original guidelines approved in the World Health Assembly 1975. In December, 2002 the United Nations Committee on Experts on the Transport of Dangerous Goods and on the Globally Harmonized System of Classification and Labelling of Chemicals (UNCETDG/GHS) approved a document called "The Globally Harmonized System of Classification and Labelling of Chemicals" with the intent to provide a globally-harmonized system to address classification of chemicals, labels, and safety data sheets. Classification and labelling based on acute toxicity form a part of the GHS, and there are some differences between the GHS and the WHO traditional classification of pesticides by hazard. WHO is in the process of adjusting the Pesticide Classification to conform to the GHS; the results of this process are expected to be available in the next edition of the Classification, to be published within the next two years.

The document is arranged as follows:

Part I: The Classification as recommended by the World Health Assembly. This part is not subject to periodic review and the classification table and text can only be changed by resolution of the World Health Assembly.

Part II: Guidelines to Classification. Individual products are classified in a series of tables, according to the oral or dermal toxicity of the technical product, and its physical state. The tables are subject to review periodically.

The toxicity values are intended to be a guide only. Formulations should be separately classified using the methods set out on pages 3 (single technical product) and 6 (mixtures) and the table in Part I. To assist in the classification of formulations, an annex is now provided giving numerical tables from which the classification may also be derived.

Comments on Part II of the document are welcome, together with proposals for new entries. These should be addressed to the International Programme on Chemical Safety, World Health Organization, 1211 Geneva 27, Switzerland, and should include supporting data on the compound being commented on or proposed.

This document is a revision of the document previously issued as ISBN 92 4 154564 X.

## **PART I**

### **RECOMMENDED CLASSIFICATION OF PESTICIDES BY HAZARD**

#### **Extract from WHO Chronicle, 29: 397-401 (1975)**

In 1973, the WHO Executive Board asked the Director-General of WHO to take steps to develop a tentative classification of pesticides that would distinguish between the more and the less hazardous forms of each pesticide. A proposal for a WHO recommended classification of pesticides by hazard was accordingly prepared, taking into account the views of members of the WHO Expert Advisory Panel on Insecticides and other expert advisory panels with special competence and interest in pesticide technology, as well as the comments of WHO Member States and of two international agencies. This proposal was adopted by the Twenty-eighth World Health Assembly, which recommended the use of the classification by Member States, international agencies, and regional bodies.

The hazard referred to in this Recommendation is the acute risk to health (that is, the risk of single or multiple exposures over a relatively short period of time) that might be encountered accidentally by any person handling the product in accordance with the directions for handling by the manufacturer or in accordance with the rules laid down for storage and transportation by competent international bodies.

Any classification based on biological data can never be treated as final. In the assessment of biological data, honest differences of opinion are inevitable and most borderline cases can be reclassified in an adjacent class. Variability or inconsistency in toxicity data due to differences in susceptibility of test animals, or to experimental techniques and materials used can also result in differing assessments. The classification criteria are guide-points intended to supplement but never to substitute for special knowledge, sound clinical judgement or experience with a compound. Reappraisal might be necessary from time to time.

#### **Basis of classification**

The classification distinguishes between the more and the less hazardous forms of each pesticide in that it is based on the toxicity of the technical compound and on its formulations. In particular, allowance is made for the lesser hazards from solids as compared with liquids.

The classification is based primarily on the acute oral and dermal toxicity to the rat since these determinations are standard procedures in toxicology. Where the dermal LD<sub>50</sub><sup>1</sup> value of a compound is such that it would place it in a more restrictive class than the oral LD<sub>50</sub> value would indicate, the compound will always be classified in the more restrictive class. Provision is made for the classification of a particular compound to be adjusted if, for any reason, the acute hazard to man differs from that indicated by LD<sub>50</sub> assessments alone.

---

<sup>1</sup> The LD<sub>50</sub> value is a statistical estimate of the number of mg of toxicant per kg of bodyweight required to kill 50% of a large population of test animals.

Class		LD <sub>50</sub> for the rat (mg/kg body weight)			
		Oral		Dermal	
		Solids <sup>a</sup>	Liquids <sup>a</sup>	Solids <sup>a</sup>	Liquids <sup>a</sup>
Ia	Extremely hazardous	5 or less	20 or less	10 or less	40 or less
Ib	Highly hazardous	5 - 50	20 - 200	10-100	40 – 400
II	Moderately hazardous	50 - 500	200 - 2000	100-1000	400 – 4000
III	Slightly hazardous <sup>b</sup>	Over 500	Over 2000	Over 1000	Over 4000 <sup>b</sup>

<sup>a</sup> The terms "solids" and "liquids" refer to the physical state of the active ingredient being classified.

<sup>b</sup> See also Part II, Guidelines, para. 7 of Notes, page 7.

#### Application of the criteria for classification

- (a) Where it is shown that for a particular compound the rat is not the most suitable test animal (for example, if another species is conspicuously more sensitive or more closely resembles man in its reaction) then the classification of that compound should take this into account.
- (b) In practice, the majority of classifications will be made on the acute oral LD<sub>50</sub> value. However, dermal toxicity must always be considered since it has been found that, under most conditions of handling pesticides, a high proportion of the total exposure is dermal. Classification based on dermal data in a class indicating a great risk is necessary when the dermal LD<sub>50</sub> values indicate greater hazard than oral LD<sub>50</sub> values.
- (c) If the active ingredient produces irreversible damage to vital organs, is highly volatile, is markedly cumulative in its effect, or is found after direct observations to be particularly hazardous or significantly allergenic to man, then adjustments to the classification can be made by classifying the compound in a class indicating a higher hazard. Alternatively, if it can be shown that the preparation is less toxic or hazardous than expected from consideration of the LD<sub>50</sub> values of the ingredient or ingredients, or for any other reason, adjustments should be made by classifying the compound in a class indicating a lower hazard.
- (d) In certain special cases the acute oral or dermal LD<sub>50</sub> values of the compound or formulation should not be used as the main basis for classification. In such cases (for example, aerosol preparations, other special formulations and fumigants), more appropriate criteria should be used.
- (e) It is highly desirable that, whenever practicable, toxicological data for each formulation to be classified should be available from the manufacturer. However, if such data are not obtainable, then the classification may be based on proportionate calculations from the LD<sub>50</sub> values of the technical ingredient or ingredients, according to the following formula:

$$\frac{LD_{50} \text{ active ingredient} \times 100}{\text{Percentage of active ingredient in formulation}}$$

If the formulation contains more than one ingredient (including solvents, wetting agents, etc.) of significant toxicity-enhancing properties, then the classification should correspond to the toxicity of the mixed ingredients.

- (f) With a few exceptions, pesticides have low volatility and therefore no criteria are at present set out for volatility in this Recommendation. The inclusion of such criteria is unlikely to affect the classification of pesticides by hazard except in the case of volatile fumigants used in agriculture and food storage. On the other hand, when the criteria are applied to pesticide formulations based on solvents or to other chemicals, account must be taken of volatility and consequent inhalation toxicity.

#### Effects of classification on labeling<sup>2</sup>

While no specific symbols to identify classes are included in the Recommendation, the following are the general implications of the classification as regards labelling.

The aim should be uniformity in the statement on the nature of the risk (by phrase and/or symbol) on the label of the product, irrespective of the country of origin or use. Labels of products classified in classes Ia and Ib should bear a symbol indicating a high degree of hazard (usually a type of skull and crossbones) and a signal word or phrase, e.g. POISON or TOXIC. The presentation of the symbol and word or phrase, in terms of colour, size and shape should ensure that they are given sufficient prominence on the label.

The text should be in the local language and for all formulations should include the approved name of the active ingredient or ingredients, the method of use, and precautions to be taken in use. For classes Ia and Ib, symptoms and immediate treatment of poisoning should also be included.

The detailed precautions necessary for the use of a pesticide depend on the nature of the formulation and the pattern of use and are best decided by a pesticide registration authority when accepting a commercial label.

There are international agreements on symbols to denote hazards from materials which are inflammable, corrosive, explosive, etc., and these should be consulted and used where appropriate.

---

<sup>2</sup> See also FAO (1985; 1990).

**PART II**  
**GUIDELINES TO CLASSIFICATION OF PESTICIDES BY HAZARD**

The main section of the guidelines consists of five tables preceded by notes on their use. In the tables, active ingredients (technical grade) have been classified as follows:

Table 1. EXTREMELY HAZARDOUS (Class Ia) active ingredients (technical grade) of pesticides.....	16
Table 2. HIGHLY HAZARDOUS (Class Ib) active ingredients (technical grade) of pesticides .....	18
Table 3. MODERATELY HAZARDOUS (Class II) active ingredients (technical grade) of pesticides .....	21
Table 4. SLIGHTLY HAZARDOUS (Class III) active ingredients (technical grade) of pesticides.....	26
Table 5. Active ingredients unlikely to present acute hazard in normal use .....	31

The tables are arranged in alphabetical order.

In addition, the following tables show the details stated:

Table 6. Active ingredients not included in the Classification and believed to be obsolete or discontinued for use as pesticides .....	37
Table 7. Pesticides subject to the prior informed consent (PIC) procedure .....	39
Table 8. List of gaseous or volatile fumigants not classified under the WHO-Recommended classification of pesticides by hazard.....	40
ANNEX           How to find the hazard class of a formulation .....	41
INDEX           by CAS number.....	46
by name of active ingredient.....	51

## NOTES ON THE USE OF THE TABLES IN CLASSIFICATION

### ***The final classification of any product is intended to be by formulation***

The classification given in the tables below is of active ingredients, and only forms the starting point for the final classification of an actual formulation. It is by far preferable that the final classification of a formulation should be based on toxicity data obtained on that formulation by the manufacturer: the criteria set out in the table of the Classification in Part I are then applied to this first-hand data. Only if this is not available should the formula be used, as shown in Part I on page 3 to extrapolate the LD<sub>50</sub> of the formulation from that of the technical product. In this event, the single oral or dermal value of the LD<sub>50</sub> given in the tables below should be used in the formula, taking into account the physical state of the formulation. See also the Annex on page 44.

The following important points should be noted.

1. While the classification deals only with the acute risk to health, evaluations of other effects, including cancer, have been completed for many compounds for registration purposes. Where other effects have been shown to occur in man, these are noted in the 'Remarks' column and may have in some cases resulted in an adjusted classification.
2. Wherever possible, the data are listed under internationally approved common names, or if such names are not at present available, under nationally approved names. Some other common names appear in the alphabetic index pp. 55-64. Trade names are not given since there are many of these.
3. A list of references that may be used for the identification of pesticides is given at the end of these introductory notes, and the manufacturer should always assist by specifying any existing approved or common names for his product.
4. It is not possible to include classification of mixtures of pesticides in the guidelines: very many of these are marketed with varying concentrations of active constituents. There are three possible approaches to the classification of mixtures - in order of preference:
  - (a) require the formulator to obtain reliable acute oral and dermal toxicity data for rats on the actual mixture as marketed: or
  - (b) classify the formulation according to the most hazardous constituent of the mixture as if that constituent was present in the same concentration as the total concentration of all active constituents: or
  - (c) apply the formula:

$$\frac{C_a}{T_a} + \frac{C_b}{T_b} + \dots + \frac{C_z}{T_z} \equiv \frac{100}{T_m}$$

Where C = the % concentrations of constituent A, B ... Z in the mixture

T = the oral LD<sub>50</sub> values of constituents A, B ...Z

T<sub>m</sub> = the oral LD<sub>50</sub> value of the mixture.

The formula can also be used for dermal toxicities provided that this information is available on the same species for all constituents. The use of this formula does not take into account any potentiation or protective phenomena.



5. In the tables below, single figures have been given as LD<sub>50</sub> values for classification purposes, using the route as described in the table. Where several LD<sub>50</sub> values have been published, the lowest deemed reliable is used. Where a sex difference occurs in LD<sub>50</sub> values, the value for the more sensitive sex is used. A number of adjustments to Classification have been made in respect of some pesticides and these are explained. A borderline case has been classified in the more or less hazardous class after consideration of its toxicology and use experience.
6. Pesticides have been classified on the basis of the physical state of the technical product. It may happen in a few cases that where the technical product is a solid, highly concentrated liquid formulations may need to be classified in a more hazardous class. In most cases, oils (used as a physical and not a chemical term) have been classified as liquids unless very viscous at ordinary temperatures.
7. In Table 5, a number of pesticides are listed as unlikely to present any acute hazard in normal use. The WHO classification is open-ended but it is clear that there must be a point at which the acute hazard posed by the use of these compounds is so low as to be negligible provided that the precautions are taken that should be used in dealing with any chemical. In compiling this table, it has been assumed that this point is an oral LD<sub>50</sub> of 2000 mg/kg for solids and 3000 mg/kg for liquids, or a dermal LD<sub>50</sub> of 4000 and 6000 mg/kg. However, it should not be overlooked that in formulations of these technical products, solvents or vehicles may present a greater hazard than the actual pesticide and therefore classification of a formulation in one of the higher hazard classes may be necessary.
8. Based on the evaluation and recommendations in the Environmental Health Criteria Document 217: *Bacillus thuringiensis*, this biological pesticide has been included in this edition of the classification.
9. The toxicity data for pyrethroids is highly variable according to isomer ratios, the vehicle used for oral administration, and the husbandry of the test animals. The variability is reflected in the prefix 'c' before LD<sub>50</sub> values. The single LD<sub>50</sub> value now chosen for classification purposes is based on administration in corn oil and is much lower than that in aqueous solutions. This has resulted in considerable changes in the classification of some products and also underlines the need for classification by formulation if the classification is to reflect true hazard.

## ENTRIES AND ABBREVIATIONS USED IN THE TABLES

Active ingredients printed in *italics* in tables 1-5 are either new or have been reclassified.

Column 1: Sequential number of active ingredients, preceded by an indicator of the category in the classification.

Column 2: Common name. [ISO] denotes common name of the active ingredient approved by the International Organization for Standardization. Such names are, when available, preferred by WHO to all other common names. However, attention is drawn to the fact that some of these names may not be acceptable for national use in some countries. If the letters ISO appear within parentheses (ISO), this indicates that ISO has standardized (or is in the process of standardizing) the name of the base, but not the name of the derivative listed in column 1. For example, fentin acetate (ISO) indicates that fentin is an ISO name, but fentin acetate is not. ISO\* denotes pending ISO approval of the name. C denotes chemical, trivial, or other common name.

Column 3: CAS Registry number: The number for the chemical, not those for eg. different esters or salts are given.

Column 4: UN number refers to the UN Recommendations on the transport of dangerous goods, Eleventh revision (1999). This is given only for active ingredients in Tables 1, 2, 3 or 4, since so few ingredients in Table 5 have UN numbers. The UN number refers only to the active ingredient; formulations are likely to have different numbers, since the ingredient may, for example, be dissolved in a solvent - and liquid products have different UN numbers, which depends on their flammability.

Column 5: Chemical type. Only a limited number of chemical types are shown. Most have some significance in the sense that they may have a common antidote, or may be confused in the nomenclature with other chemical types e.g. thiocarbamates are not cholinesterase inhibitors and do not have the same effects as carbamates. Chemical type is also a determinant of the UN numbering system. These chemical classifications are included only for convenience, and do not represent a recommendation of the part of the World Health Organization as to the way in which the pesticides should be classified. It should, furthermore, be understood that some pesticides may fall into more than one type.

AS	Arsenic compound	OP	Organophosphorus compound
BP	Bipyridylum derivative	OT	Organotin compound
C	Carbamate	PAA	Phenoxyacetic acid derivative
CO	Coumarin derivative	PZ	Pyrazole
CU	Copper compound	PY	Pyrethroid
HG	Mercury compound	T	Triazine derivative
NP	Nitrophenol derivative	TC	Thiocarbamate
OC	Organochlorine compound		

Column 6: Physical state. Refers only to the active ingredient. L denotes liquid, including solids with a melting point below 50°C; oil denotes oily liquids and S solids, including waxes. The physical state may affect the exposure potential and thus the absorbed amount of the chemical, and thus is a factor affecting the classification (See table on page 3 in Part 1).

Column 7: Main use. In most cases only a single use is given. This is only for identification purposes and does not exclude other uses.

AC	acaricide	L	larvicide
AP	aphicide	M	molluscicide
B	bacteriostat (soil)	MT	miticide
FM	fumigant	N	nematocide
F	fungicide, other than for seed treatment	O	other use for plant pathogens
FST	fungicide, for seed treatment	PGR	plant growth regulator
H	herbicide	R	rodenticide
I	insecticide	RP( )	repellant (species)
IGR	insect growth regulator	-S	applied to soil: not used with herbicides or plant growth regulators
Ix	ixodicide (for tick control)	SY	synergist

Column 8: LD<sub>50</sub>. The LD<sub>50</sub> value is a statistical estimate of the number of mg of toxicant per kg of body weight required to kill 50% of a large population of test animals: the rat is used unless otherwise stated. Usually a single value, but sometimes a range is given. "c" preceding the value indicates that it is a value within a wider than usual range, adopted for classification purposes. When several different values are reported in the literature, the lowest is reported and used as the basis of classification, unless there are clear indications that a higher value is more reliable. Oral route values are used unless the dermal route values place the compound in a more hazardous class, or unless the dermal values are significantly lower than the oral values, although in the same class. Dermal LD<sub>50</sub> values are indicated with the letter D.

Column 9: Remarks. This column is used to indicate cases in which the classification of a technical product has been adjusted (i.e., the oral LD<sub>50</sub> value is not directly used as the basis of classification); Major irritant properties are also noted although they do not affect the classification. Sources of further information may also be given here: DS denotes a WHO/FAO Data Sheet on Pesticides, EHC an Environmental Health Criteria monograph, HSG a Health and Safety Guide, IARC IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, ICSC an International Chemical Safety Card and JMPR an evaluation by the Joint FAO/WHO Meeting on Pesticide Residues. These publications (with the exception of IARC Monographs) can be found on the IPCS web site (<http://www.who.int/pcs/>).

## REFERENCES

- Armstrong Lowe, D. and Stiles, A.R. (1973) Pesticides - nomenclature, specifications, analysis, use and residues in food, Bull. Wld. Hlth Org., 49, 169-204.
- CICAD 6. Concise International Chemical Assessment Document 6 Biphenyl. Geneva, International Programme on Chemical Safety, 37 pp. 1999.
- CICAD 13. Concise International Chemical Assessment Document 13 Triphenyltin compounds. Geneva, International Programme on Chemical Safety, 40 pp. 1999.
- CICAD 40. Concise International Chemical Assessment Document 40 Formaldehyde. Geneva, International Programme on Chemical Safety, 75 pp. 2002.
- CICAD 54. Concise International Chemical Assessment Document 40 Ethylene oxide. Geneva, International Programme on Chemical Safety, 57 pp. 2003.
- CICAD 61. Concise International Chemical Assessment Document 61 Hydrogen cyanide and cyanides: Human health aspects. Geneva, International Programme on Chemical Safety, 67 pp. 2004.
- Environmental Health Criteria 29 2,4-Dichlorophenoxyacetic Acid (2,4-D), Geneva, International Programme on Chemical Safety, 151 pp. 1984.
- Environmental Health Criteria 34 Chlordane, Geneva, International Programme on Chemical Safety, 82 pp. 1984.
- Environmental Health Criteria 38 Heptachlor, Geneva, International Programme on Chemical Safety, 81 pp. 1984
- Environmental Health Criteria 39 Paraquat and Diquat, Geneva, International Programme on Chemical Safety, 173 pp. 1981.
- Environmental Health Criteria 40 Endosulfan, Geneva, International Programme on Chemical Safety, 109 pp. 1984.
- Environmental Health Criteria 41 Quintozene, Geneva, International Programme on Chemical Safety, 38 pp. 1984
- Environmental Health Criteria 42 Tecnazene, Geneva, International Programme on Chemical Safety, 23 pp. 1984.
- Environmental Health Criteria 43 Chlordecone, Geneva, International Programme on Chemical Safety, 57 pp. 1984.
- Environmental Health Criteria 44 Mirex, Geneva, International Programme on Chemical Safety, 70 pp. 1984.
- Environmental Health Criteria 45 Campechlor, Geneva, International Programme on Chemical Safety, 66 pp. 1984.
- Environmental Health Criteria 63 Organophosphorus Insecticides, Geneva, International Programme on Chemical Safety, 181 pp. 1986.
- Environmental Health Criteria 64 Carbamate Pesticides, Geneva, International Programme on Chemical Safety, 136 pp. 1986.
- Environmental Health Criteria 66 Kelevan, Geneva, International Programme on Chemical Safety, 32 pp. 1984.
- Environmental Health Criteria 67 Tetradifon, Geneva, International Programme on Chemical Safety, 47 pp. 1986.
- Environmental Health Criteria 71 Pentachlorophenol, Geneva, International Programme on Chemical Safety, 236 pp. 1987.
- Environmental Health Criteria 73 Phosphine and Selected Metal Phosphides, Geneva, International Programme on Chemical Safety, 100 pp. 1988.
- Environmental Health Criteria 76 Thiocarbamate Pesticides, Geneva, International Programme on Chemical Safety, 49 pp. 1988.
- Environmental Health Criteria 78 Dithiocarbamate Pesticides, Ethylenethiourea, and propylenethiourea, Geneva, International Programme on Chemical Safety, 140 pp. 1988.
- Environmental Health Criteria 79 Dichlorvos, Geneva, International Programme on Chemical Safety, 157 pp. 1989.
- Environmental Health Criteria 82 Cypermethrin, Geneva, International Programme on Chemical Safety, 154 pp. 1989.

Environmental Health Criteria 83 DDT and its Derivatives - Environmental Aspects, Geneva, International Programme on Chemical Safety, 98 pp. 1989.

Environmental Health Criteria 84 2,4-Dichlorphenoxyacetic Acid – Environmental Aspects, Geneva, International Programme on Chemical Safety, 92 pp. 1989.

Environmental Health Criteria 87 Allethrin, Geneva, International Programme on Chemical Safety, 75 pp. 1989.

Environmental Health Criteria 90 Dimethoate, Geneva, International Programme on Chemical Safety, 85 pp. 1989.

Environmental Health Criteria 92 Resmethrin; Geneva, International Programme on Chemical Safety, 79 pp. 1989.

Environmental Health Criteria 94 Permethrin; Geneva, International Programme on Chemical Safety, 125 pp. 1990.

Environmental Health Criteria 95 Fenvalerate; Geneva, International Programme on Chemical Safety, 121 pp. 1990.

Environmental Health Criteria 96 d-Phenothrin; Geneva, International Programme on Chemical Safety, 64 pp. 1990.

Environmental Health Criteria 97 Deltamethrin; Geneva, International Programme on Chemical Safety, 133 pp. 1990.

Environmental Health Criteria 98 Tetramethrin; Geneva, International Programme on Chemical Safety, 69 pp. 1990.

Environmental Health Criteria 99 Cyhalothrin; Geneva, International Programme on Chemical Safety, 106 pp. 1990.

Environmental Health Criteria 121; Aldicarb; Geneva, International Programme on Chemical Safety, 130 pp. 1991.

Environmental Health Criteria 123 Alpha- and Beta Hexachlorocyclohexanes, Geneva, International Programme on Chemical Safety, 170 pp. 1992.

Environmental Health Criteria 124 Lindane; Geneva, International Programme on Chemical Safety, 208 pp. 1991.

Environmental Health Criteria 132 Trichlorfon; Geneva, International Programme on Chemical Safety, 162 pp. 1992.

Environmental Health Criteria 133 Fenitrothion; Geneva, International Programme on Chemical Safety, 184 pp. 1992.

Environmental Health Criteria 142 Alpha-cypermethrin; Geneva, International Programme on Chemical Safety, 112 pp. 1992.

Environmental Health Criteria 145 Methyl Parathion; Geneva, International Programme on Chemical Safety, 244 pp. 1993.

Environmental Health Criteria 147 Propachlor, Geneva, International Programme on Chemical Safety, 110 pp. 1993.

Environmental Health Criteria 148 Benomyl; Geneva, International Programme on Chemical Safety, 135 pp. 1993.

Environmental Health Criteria 149 Carbendazim; Geneva, International Programme on Chemical Safety, 132 pp. 1993.

Environmental Health Criteria 153 Carbaryl; Geneva, International Programme on Chemical Safety, 358 pp. 1993.

Environmental Health Criteria 158 Amitrole; Geneva, International Programme on Chemical Safety, 107 pp. 1994.

Environmental Health Criteria 159 Glyphosate; Geneva, International Programme on Chemical Safety, 177 pp. 1994.

Environmental Health Criteria 166 Methyl bromide; Geneva, International Programme on Chemical Safety, 324 pp. 1995.

Environmental Health Criteria 175 Anticoagulant Rodenticides; Geneva, International Programme on Chemical Safety, 121 pp. 1995.

Environmental Health Criteria 176 1,2-dichloroethane (ethylene dichloride); (2nd edition), Geneva, International Programme on Chemical Safety, 148 pp. 1995.

- Environmental Health Criteria 177 1,2-dibromoethane (ethylene dibromide); Geneva, International Programme on Chemical Safety, 146 pp. 1996.
- Environmental Health Criteria 178 Methomyl; Geneva, International Programme on Chemical Safety, 150 pp. 1996.
- Environmental Health Criteria 182 Thallium, Geneva, International Programme on Chemical Safety, 274 pp. 1996.
- Environmental Health Criteria 183 Chlorothalonil, Geneva, International Programme on Chemical Safety, 145 pp. 1996.
- Environmental Health Criteria 184 Diflubenzuron, Geneva, International Programme on Chemical Safety, 164 pp. 1996.
- Environmental Health Criteria 195 Hexachlorobenzene, Geneva, International Programme on Chemical Safety, 160 pp. 1997.
- Environmental Health Criteria 198 Diazinon, Geneva, International Programme on Chemical Safety, 140 pp. 1998.
- Environmental Health Criteria 200 Copper, Geneva, International Programme on Chemical Safety, 360 pp. 1998.
- Environmental Health Criteria 217 *Bacillus thuringiensis*, Geneva, International Programme on Chemical Safety, 105 pp. 1999.
- Environmental Health Criteria 220 Dinitro-*ortho*-cresol, Geneva, International Programme on Chemical Safety, 87 pp. 2000.
- Environmental Health Criteria 224 Arsenic and arsenic compounds (Second edition), Geneva, International Programme on Chemical Safety, 521 pp. 2001.
- FAO (1985), Guidelines on good labelling practice for pesticides, Rome, Food and Agriculture Organization of the United Nations, 36 pp.
- FAO (1990), International Code of Conduct on the Distribution and Use of Pesticides: Rome, Food and Agriculture Organization of the United Nations, 34 pp.
- IARC 4. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Volume 4 Some Aromatic Amines, Hydrazine and Related Substances, N-Nitroso Compounds and Miscellaneous Alkylation Agents. Lyon, International Agency for Research on Cancer, 286 pp. 1974
- IARC 7. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Volume 12 Some Carbamates, Thiocarbamates and Carbazides. Lyon, International Agency for Research on Cancer, 282 pp. 1976
- IARC 41. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Volume 41 Some Halogenated Hydrocarbons and Pesticide Exposures. Lyon, International Agency for Research on Cancer, 434 pp. 1986.
- IARC 53. Monographs on the Evaluation of Carcinogenic Risks to Humans Volume 53 Occupational Exposures in Insecticide Application and some Pesticides. Lyon, International Agency for Research on Cancer, 612 pp. 1991.
- IARC 62. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Volume 6 Wood dust and formaldehyde. Lyon, International Agency for Research on Cancer, 405 pp. 1995.
- IARC 63. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Volume 63 Dry cleaning, Some Chlorinated Solvents and Other Industrial Chemicals. Lyon, International Agency for Research on Cancer, 558 pp. 1995.
- IARC 71. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Volume 71 Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide, Parts I-III. Lyon, International Agency for Research on Cancer, 1586 pp. 1999.
- IARC 73. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Volume 73 some chemicals that cause tumours of the kidney or urinary bladder in rodents and some other substances. Lyon, International Agency for Research on Cancer, 674 pp. 1999.
- IARC 79. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Volume 79 some thyrotropic agents. Lyon, International Agency for Research on Cancer, 763 pp. 2001.
- IARC 84. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Volume 84 some drinking water disinfectants and contaminants, including arsenic. Lyon, International Agency for Research on Cancer, 512 pp. 2004.

- IARC Suppl 7. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans Voverall evaluations of carcinogenicity: An updating of IARC Monographs volumes 1 to 42. Lyon, International Agency for Research on Cancer, 440 pp. 1987.
- International Organization for Standardization (1981) Pesticides and other agrochemicals - common names, Geneva (ISO 1750). (Copies available only from national standards institutes).
- IPCS, Health and Safety Guides (HSGs on individual pesticides); Geneva, World Health Organization.
- IPCS, International Chemical Safety Card, Geneva, World Health Organization. See <http://www.ilo.org/public/english/protection/safework/cis/products/icsc/dtasht/index.htm>
- JECFA (1996) Toxicological evaluation of certain veterinary drug residues in food prepared by the forty-seventh meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA), WHO food additives series 38, Geneva, World Health Organization.
- JECFA (1997) Toxicological evaluation of certain veterinary drug residues in food prepared by the forty-eighth meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA), WHO food additives series 39, Geneva, World Health Organization.
- JECFA (2000a) Toxicological evaluation of certain veterinary drug residues in food prepared by the fifty-second meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA), WHO food additives series 43, Geneva, World Health Organization.
- JECFA (2000b) Toxicological evaluation of certain veterinary drug residues in food prepared by the fifty-fourth meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA), WHO food additives series 45, Geneva, World Health Organization.
- JECFA (2002) Toxicological evaluation of certain veterinary drug residues in food prepared by the fifty-eighth meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA), WHO food additives series 49, Geneva, World Health Organization.
- JECFA (2003) Toxicological evaluation of certain veterinary drug residues in food prepared by the sixtieth meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA), WHO food additives series 51, Geneva, World Health Organization.
- JMPR (1965a) Evaluation of the toxicity of pesticide residues in food. FAO Meeting Report, No. PL/1965/10/1; WHO/Food Add./27.65.
- JMPR (1965b) Evaluation of the hazards to consumers resulting from the use of fumigants in the protection of food. FAO Meeting Report, No. PL/1965/10/2; WHO/Food Add./28.65.
- JMPR (1967) Evaluation of some pesticide residues in food. FAO/PL:CP/15; WHO/Food Add./67.32.
- JMPR (1969) 1968 Evaluation of some pesticide residues in food. FAO/PL:1968/M/9/1; WHO/Food Add./69.35.
- JMPR (1971) 1970 Evaluations of some pesticide residues in food. AGP:1970/M/12/1; WHO/Food Add./71.42.
- JMPR (1972) 1971 Evaluations of some pesticide residues in food. AGP:1971/M/9/1; WHO Pesticide Residues Series No. 1.
- JMPR (1974) 1973 Evaluations of some pesticide residues in food. FAO/AGP/1973/M/9/1; WHO Pesticide Residues Series, No. 3.
- JMPR (1978) Pesticide residues in food: 1977 evaluations. FAO Plant Production and Protection Paper 10 Sup.
- JMPR (1979) Pesticide residues in food: 1978 evaluations. FAO Plant Production and Protection Paper 15 Sup.
- JMPR (1980) Pesticide residues in food: 1979 evaluations. FAO Plant Production and Protection Paper 20 Sup.
- JMPR (1982) Pesticide residues in food: 1981 evaluations. FAO Plant Production and Protection Paper 42.
- JMPR (1983) Pesticide residues in food: 1982 evaluations. FAO Plant Production and Protection Paper 49.
- JMPR (1985a) Pesticide residues in food: 1983 evaluations. FAO Plant Production and Protection Paper 61.
- JMPR (1985b) Pesticide residues in food – 1984. Report of the Joint Meeting on Pesticide Residues. FAO Plant Production and Protection Paper 62.

JMPR (1985c) Pesticide residues in food – 1984 evaluations. FAO Plant Production and Protection Paper 67.

JMPR (1986a) Pesticide residues in food – 1985. Report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and a WHO Expert Group on Pesticide Residues. FAO Plant Production and Protection Paper 68.

JMPR (1986b) Pesticide residues in food – 1985 evaluations. Part II – Toxicology. FAO Plant Production and Protection Paper 72/2.

JMPR (1986c) Pesticide residues in food – 1986. Report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and a WHO Expert Group on Pesticide Residues. FAO Plant Production and Protection Paper 77.

JMPR (1987a) Pesticide residues in food – 1986 evaluations. Part II – Toxicology. FAO Plant Production and Protection Paper 78/2.

JMPR (1987b) Pesticide residues in food – 1987. Report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and a WHO Expert Group on Pesticide Residues. FAO Plant Production and Protection Paper 84.

JMPR (1988) Pesticide residues in food – 1987 evaluations. Part II – Toxicology. FAO Plant Production and Protection Paper 86/2.

JMPR (1989) Pesticide residues in food – 1988 evaluations. Part II – Toxicology. FAO Plant Production and Protection Paper 93/2.

JMPR (1990) Pesticide residues in food – 1989 evaluations. Part II – Toxicology. FAO Plant Production and Protection Paper 100/2.

JMPR (1991) Pesticide residues in food – 1990 evaluations. Part II – Toxicology. World Health Organization (WHO/PCS/91.47).

JMPR (1992) Pesticide residues in food – 1991 evaluations. Part II – Toxicology. World Health Organization (WHO/PCS/92.52).

JMPR (1993) Pesticide residues in food – 1992 evaluations. Part II – Toxicology. World Health Organization (WHO/PCS/93.34).

JMPR (1994) Pesticide residues in food – 1993 evaluations. Part II – Toxicology. World Health Organization (WHO/PCS/94.4).

JMPR (1995a) Pesticide residues in food – 1994. Report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and a WHO Expert Group on Pesticide Residues. FAO Plant Production and Protection Paper, 127.

JMPR (1995b) Pesticide residues in food – 1994 evaluations. Part II – Toxicology. World Health Organization (WHO/PCS/95.2).

JMPR (1996a) Pesticide residues in food – 1995. Report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and WHO Toxicological and Environmental Core Assessment Groups. FAO Plant Production and Protection Paper, 133.

JMPR (1996b) Pesticide residues in food – 1995 evaluations. Part II – Toxicological and Environmental. Geneva, World Health Organization (WHO/PCS/96.48).

JMPR (1997a) Pesticide residues in food – 1996. Report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core Assessment Group. FAO Plant Production and Protection Paper, 140.

JMPR (1997b) Pesticide residues in food – 1996 evaluations. Part II – Toxicological and Environmental. Geneva, World Health Organization (WHO/PCS/97.1).

JMPR (1998a) Pesticide residues in food – 1997. Report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core Assessment Group. FAO Plant Production and Protection Paper, 145.

JMPR (1998b) Pesticide residues in food – 1997 evaluations. Part II – Toxicological and Environmental. Geneva, World Health Organization (WHO/PCS/98.6).

JMPR (1999) Pesticide residues in food – 1998 evaluations. Part II – Toxicological. Geneva, World Health Organization (WHO/PCS/99.18).

JMPR (2000) Pesticide residues in food – 1999 evaluations. Part II – Toxicological and Environmental. Geneva, World Health Organization (WHO/PCS/00.4).



- JMPR (2001) Pesticide residues in food – 2000. Report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core Assessment Group. FAO Plant Production and Protection Paper 167.
- JMPR (2002) Pesticide residues in food – 2001. Joint FAO/WHO Meeting on Pesticide Residues. Evaluations 2001. Part II Toxicological. IPCS International Programme on Chemical Safety & World Health Organization, Geneva
- JMPR (2003a) Pesticide residues in food – 2002. Report 2002 of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core Assessment Group. FAO Plant Production and Protection Paper 172.
- JMPR (2003b) Pesticide residues in food – 2002. Joint FAO/WHO Meeting on Pesticide Residues. Evaluations 2002. Part II Toxicological. IPCS International Programme on Chemical Safety & World Health Organization, Geneva
- JMPR (2004) Pesticide residues in food – 2003. Report 2003 of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core Assessment Group. FAO Plant Production and Protection Paper 176, in press.
- JMPR (2005) Pesticide residues in food – 2004. Report 2004 of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core Assessment Group. FAO Plant Production and Protection Paper, in press.
- Larson, L.L., Kenaga, E.E. & Morgan, R.W. (1985) Commercial and experimental organic insecticides, Entomological Society of America, 4603 Calvert Road, College Park, Maryland 20740, United States of America (Rev.), 105 pp.
- Tomlin C, ed. The Pesticide Manual, A World Compendium (10th edition 1994). British Crop Protection Council, Thornton Heath, United Kingdom.
- Tomlin C, ed. The Pesticide Manual, A World Compendium (11th edition 1997). British Crop Protection Council, Farnham, United Kingdom.
- Tomlin C, ed. The Pesticide Manual, A World Compendium (13th edition 2003). British Crop Protection Council, Farnham, United Kingdom.
- United Nations (1999) Recommendations on the transport of dangerous goods. Model regulations. Eleventh revised edition. United Nations, New York and Geneva. 573 pp.
- United Nations Environment Programme Chemicals (2004) Persistent Organic Pollutants <http://www.pops.int/>
- United States Department of Health, Education and Welfare, Registry of Toxic effects of Chemical Substances (annual publication), Centre for Disease Control, Rockville, Maryland 20852, United States of America.
- WHO (1979), Environmental Health Criteria 9; DDT and its Derivatives, Geneva, World Health Organization, 194 pp.
- WHO (1980), Environmental health Criteria 15; Tin and Organotin Compounds, Geneva, World Health Organization, 109 pp.
- WHO/FAO Data Sheets on Pesticides; mimeographed series of documents, WHO/PCS Nos. 1-94, Geneva, World Health Organization. available at: <http://www.inchem.org/pages/pds.html>
- Wiswesser, W.J., Pesticide Index, (1976), College Science Publishers, Entomological Society of America, 5th Edition, College Park, Maryland 20740, United States of America.
- Worthing, C.R., Hance, R.J., eds. (1991), The Pesticide Manual. A World Compendium (9<sup>th</sup> Edition). British Crop Protection Council, Surrey, United Kingdom, 1141 pp

**Table 1. Extremely hazardous (Class IA) technical grade active ingredients in pesticides**

<b>Common name</b>	<b>CAS no</b>	<b>UN no</b>	<b>Chem type</b>	<b>Phys state</b>	<b>Main use</b>	<b>LD<sub>50</sub> mg/kg</b>	<b>Remarks</b>
Aldicarb [ISO]	116-06-3	2757	C	S	I-S	0.93	DS 53; EHC 121; HSG 64; IARC 53; ICSC 94; JMPR 1993, 1996a
Brodifacoum [ISO]	56073-10-0	3027	CO	S	R	0.3	DS 57; EHC 175; HSG 93
Bromadiolone [ISO]	28772-56-7	3027	CO	S	R	1.12	DS 88; EHC 175; HSG 94
Bromethalin [ISO]	63333-35-7	2588		S	R	2	
Calcium cyanide [C]	592-01-8	1575		S	FM	39	Adjusted classification; see note 1; ICSC 407
Captafol [ISO]	2425-06-1			S	F	5000	Adjusted classification; see note 2; HSG 49; IARC 53; ICSC 119; JMPR 1978, 1986a; see note 3
Chlorethoxyfos [ISO]	54593-83-8	3018	OP	L	I	1.8	Extremely hazardous by skin contact (LD <sub>50</sub> in rabbits 12.5 mg/kg)
Chlormephos [ISO]	24934-91-6	3018	OP	L	I	7	
Chlorophacinone [ISO]	3691-35-8	2588		S	R	3.1	DS 62; EHC 175
Difenacoum [ISO]	56073-07-5	3027	CO	S	R	1.8	EHC 175; HSG 95
Difethialone [ISO]	104653-34-1	2588		S	R	0.56	EHC 175
Diphacinone [ISO]	82-66-6	2588		S	R	2.3	EHC 175
Disulfoton [ISO]	298-04-4	3018	OP	L	I	2.6	DS 68; JMPR 1992, 1997a
EPN	2104-64-5	2783	OP	S	I	14	See note 4; ICSC 753
Ethoprophos [ISO]	13194-48-4	3018	OP	L	I-S	D26	DS 79; JMPR 2000
Flocoumafen	90035-08-8	3027	CO	S	R	0.25	EHC 175; ICSC 1267
Hexachlorobenzene [ISO]	118-74-1	2729	OC	S	FST	D10000	Adjusted classification; see notes 3 and 5; DS 26; IARC 79; ICSC 895
Mercuric chloride [ISO]	7487-94-7	1624	HG	S	F-S	1	See note 3; ICSC 979
Mevinphos [ISO]	26718-65-0	3018	OP	L	I	D4	DS 14; ICSC 924; JMPR 1998b
Parathion [ISO]	56-38-2	3018	OP	L	I	13	See note 3; DS 6; HSG 74; IARC 30, Suppl. 7; ICSC 6; JMPR 1996b
Parathion-methyl [ISO]	298-00-0	3018	OP	L	I	14	See note 3; DS 7; EHC 145; HSG 75; ICSC 626; JMPR 1985c, 1996b
Phenylmercury acetate [ISO]	62-38-4	1674	HG	S	FST	24	Adjusted classification; see notes 3 and 6; ICSC 540
Phorate [ISO]	298-02-2	3018	OP	L	I	2	DS 75; JMPR 1997b, 2005
Phosphamidon	13171-21-6	3018	OP	L	I	7	See note 3; DS 74; ICSC 189; JMPR 1987b CAS Nos for E and Z isomers 297-99-4 and 23783-98-4
Sodium fluoroacetate [C]	62-74-8	2629		S	R	0.2	DS 16
Sulfotep [ISO]	3689-24-5	1704	OP	L	I	5	ICSC 985
Tebupirimfos [ISO*]	96182-53-5	3018	OP	L	I	1.3	Extremely hazardous by skin contact (LD <sub>50</sub> 9.4 mg/kg in rats)
Terbufos [ISO]	13071-79-9	3018	OP	L	I-S	c2	JMPR 1991, 2004

EHC = Environmental Health Criteria Monograph; DS= Pesticide Data Sheet; HSG = Health and Safety Guide; IARC = IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; ICSC = International Chemical Safety Card; JMPR = Evaluation by the Joint FAO/WHO Meeting on Pesticide Residues.

#### Notes to Class Ia

1. Calcium cyanide is in Class Ia as it reacts with moisture to produce hydrogen cyanide gas. The gas is not classified under the WHO system (see Table 8).
2. Captafol is carcinogenic in both rats and mice.
3. The international trade of captafol, hexachlorobenzene, mercury compounds, parathion, parathion-methyl, and phosphamidon is regulated by the Rotterdam convention on Prior Informed Consent (see <http://www.pic.int/>), which entered into force on 24 February 2004. See table 7, p. 39
4. EPN has been reported as causing delayed neurotoxicity in hens.
5. Hexachlorobenzene has caused a serious outbreak of porphyria in humans. The use and production of hexachlorobenzene is severely restricted by the Stockholm convention on persistent organic pollutants, which entered into force on 17 May, 2004. See <http://www.pops.int/>
6. Phenylmercury acetate is highly toxic to mammals and very small doses have produced renal lesions: teratogenic in the rat.

<p>THE FINAL CLASSIFICATION OF ANY PRODUCT DEPENDS ON ITS FORMULATION See Pages 6 &amp; 7, and the Annex</p>
--

Table 2. Highly hazardous (Class IB) technical grade active ingredients in pesticides

Common name	CAS no	UN no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Acrolein [C]	107-02-8	1092		L	H	29	EHC 127; HSG 67; IARC 63; ICSC 90
Allyl alcohol [C]	107-18-6	1098		L	H	64	Highly irritant to skin and eyes; ICSC 95
Azinphos-ethyl [ISO]	2642-71-9	2783	OP	S	I	12	DS 72; JMPR 1974
Azinphos-methyl [ISO]	86-50-0	2783	OP	S	I	16	DS 59; ICSC 826; JMPR 1992
Blasticidin-S	2079-00-7	2588		S	F	16	
Butocarboxim [ISO]	34681-10-2	2992	C	L	I	158	JMPR 1985a
Butoxycarboxim [ISO]	34681-23-7	2992	C	L	I	D288	
Cadusafos [ISO]	95465-99-9	3018	OP	L	N,I	37	JMPR 1992
Calcium arsenate [C]	7778-44-1	1573	AS	S	I	20	EHC 224; IARC 84; ICSC 765; JMPR 1969
Carbofuran [ISO]	1563-66-2	2757	C	S	I	8	DS 56; ICSC 122; JMPR 1997b, 2003b. See note 2
Chlorfenvinphos [ISO]	470-90-6	3018	OP	L	I	31	ICSC 1305; JMPR 1995b
3-Chloro-1,2-propanediol [C]	96-24-2	2689		L	R	112	See note 1
Coumaphos [ISO]	56-72-4	2783	OP	S	AC,MT	7.1	ICSC 422; JMPR 1991
Coumatetralyl [ISO]	5836-29-3	3027	CO	S	R	16	
Zeta-cypermethrin [ISO]	52315-07-8	3352	PY	L	I	c86	See note 9, p. 7; HSG 22; ICSC 246
Demeton-S-methyl [ISO]	919-86-8	3018	OP	L	I	40	DS 61, EHC 197; ICSC 705; JMPR 1990
Dichlorvos [ISO]	62-73-7	3018	OP	L	I	56	Volatile, DS 2; EHC 79; HSG 18; IARC 20, 53; ICSC 690; JMPR 1994
Dicrotophos [ISO]	141-66-2	3018	OP	L	I	22	ICSC 872
Dinoterb [ISO]	1420-07-1	2779	NP	S	H	25	
DNOC [ISO]	534-52-1	2779	NP	S	I-S,H	25	JMPR 1965a, EHC 220. See note 2
Edifenphos [ISO]	17109-49-8	3018	OP	L	F	150	JMPR 1982
Ethiofencarb [ISO]	29973-13-5	2992	C	L	I	200	JMPR 1983
Famphur	52-85-7	2783	OP	S	I	48	
Fenamiphos [ISO]	22224-92-6	2783	OP	S	N	15	DS 92; ICSC 483; JMPR 1998b, 2003b
Flucythrinate [ISO]	70124-77-5	3352	PY	L	I	c67	Irritant to skin and eyes, see note 9, p.7; JMPR 1986b
Fluoroacetamide [C]	640-19-7	2588		S	R	13	See note 2
Formetanate [ISO]	22259-30-9	2757	C	S	AC	21	
Furathiocarb	65907-30-4	2992	C	L	I-S	42	
Heptenophos [ISO]	23560-59-0	3018	OP	L	I	96	
Isoxathion [ISO]	18854-04-8	3018	OP	L	I	112	

Table 2. Highly hazardous (Class IB) technical grade active ingredients in pesticides, continued

Common name	CAS no	UN no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Lead arsenate [C]	7784-40-9	1617	AS	S	L	c10	EHC 224; IARC 84; ICSC 911; JMPR 1969
Mecarbam [ISO]	2595-54-2	3018	OP	Oil	I	36	JMPR 1987a
Mercuric oxide [ISO]	21908-53-2	1641	HG	S	O	18	ICSC 981, CICAD 50. See note 2
Methamidophos [ISO]	10265-92-6	2783	OP	S	I	30	See note 2; HSG 79; ICSC 176; JMPR 1991, 2003b
Methidathion [ISO]	950-37-8	3018	OP	L	I	25	JMPR 1998b
Methiocarb [ISO]	2032-65-7	2757	C	S	I	20	JMPR 1999
Methomyl [ISO]	16752-77-5	2757	C	S	I	17	DS 55, EHC 178; HSG 97; ICSC 177, JMPR 1989, 2002
Monocrotophos [ISO]	6923-22-4	2783	OP	S	I	14	See note 2; HSG 80; ICSC 181; JMPR 1996b
Nicotine [ISO]	54-11-5	1654		L		D50	ICSC 519
Omethoate [ISO]	1113-02-6	3018	OP	L	I	50	JMPR 1997a
Oxamyl [ISO]	23135-22-0	2757	C	S	I	6	DS 54; JMPR 1986b, 2003b
Oxydemeton-methyl [ISO]	301-12-2	3018	OP	L	I	65	JMPR 1990, 2003b
Paris green [C]	12002-03-8	1585	AS	S	L	22	Copper-arsenic complex
Pentachlorophenol [ISO]	87-86-5	3155		S	I,F,H	D80	See note 2; Irritant to skin; EHC 71; HSG 19; IARC 53; ICSC 69
Propetamphos [ISO]	31218-83-4	3018	OP	L	I	106	
Sodium arsenite [C]	7784-46-5	1557	AS	S	R	10	EHC 224; IARC 84
Sodium cyanide [C]	143-33-9	1689		S	R	6	ICSC 1118; CICAD 61
Strychnine [C]	57-24-9	1692		S	R	16	ICSC 197
Tefluthrin	79538-32-2	3349	PY	S	I-S	c22	See note 9, p. 7
Thallium sulfate [C]	7446-18-6	1707		S	R	11	DS 10, EHC 182; ICSC 336
Thiofanox [ISO]	39196-18-4	2757	C	S	I-S	8	
Thiometon [ISO]	640-15-3	3018	OP	Oil	I	120	DS 67; ICSC 580; JMPR 1980
Triazophos [ISO]	24017-47-8	3018	OP	L	I	82	JMPR 1994, 2003b
Vamidothion [ISO]	2275-23-2	3018	OP	L	I	103	JMPR 1989
Warfarin [ISO]	81-81-2	3027	CO	S	R	10	DS 35, EHC 175; HSG 96; ICSC 821
Zinc phosphide [C]	1314-84-7	1714		S	R	45	DS 24, EHC 73; ICSC 602

EHC = Environmental Health Criteria Monograph; DS= Pesticide Data Sheet; HSG = Health and Safety Guide; IARC = IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; ICSC = International Chemical Safety Card; JMPR = Evaluation by the Joint FAO/WHO Meeting on Pesticide Residues.

Notes to Class II

1. 3-Chloro-2,3-propanediol in nonlethal dosage is a sterilant for male rats. This compound is also known as alpha chlorhydrin.
2. The international trade of carbofuran, DNOC, fluoroacetamide, methamidophos, monocrotophos, and pentachlorophenol is regulated by the Rotterdam convention on Prior Informed Consent (see <http://www.pic.int/>), which entered into force on 24 February 2004. See Table 7, p. 39.

<p>THE FINAL CLASSIFICATION OF ANY PRODUCT DEPENDS ON ITS FORMULATION See Pages 6 &amp; 7, and the Annex</p>
--

Table 3. Moderately hazardous (Class II) technical grade active ingredients in pesticides

Common name	CAS no	UN no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Alanycarb [ISO]	83130-01-2		C	S	I	330	
Anilofos [ISO]	64249-01-0		OP	S	H	472	
Azaconazole	60207-31-0			S	F	308	
Azocyclotin [ISO]	41083-11-8	2786	OT	S	AC	80	JMPR 1990, 1995b
Bendiocarb [ISO]	22781-23-3	2757	C	S	I	55	DS 52
Benfuracarb [ISO]	82560-54-1	2992	C	L	I	205	
Bensulide [ISO]	741-58-2	2902		L	H	270	ICSC 383
Bifenthrin	82657-04-3	3349	PY	S	I	c55	JMPR 1993
Bilanafos [ISO]	71048-99-2			S	H	268	
Bioallethrin [C]	584-79-2		PY	L	I	c700	See note 1; note 9, p. 7; ICSC 227
Bromoxynil [ISO]	1689-84-5	2588		S	H	190	
Bromuconazole	116255-48-2			S	F	365	ICSC 1264
Bronopol	52-51-7			S	B	254	ICSC 415
Butamifos [ISO]	36335-67-8		OP	L	H	630	
Butylamine [ISO]	13952-84-6	1992		L	F	380	Irritant to skin; ICSC 401; JMPR 1982, 1985b
Carbaryl [ISO]	63-25-2	2757	C	S	I	c300	DS 3; EHC 153; HSG 78; IARC 12, Suppl. 7; ICSC 121; JMPR 1997b, 2002
Carbosulfan [ISO]	55285-14-8	2992	C	L	I	250	JMPR 1987a, 2004
Cartap [ISO]	15263-53-3			S	I	325	EHC 76; JMPR 1996a
Chloralose [C]	15879-93-3			S	R	400	
Chlordane [ISO]	57-74-9	2996	OC	L	I	460	See notes 2 and 3; DS 36; EHC 34; HSG 13; IARC 79; ICSC 740; JMPR 1986b
Chlorfenapyr [ISO]	122453-73-0			S	I,MT	441	
Chlorphonium chloride [ISO]	115-78-6	2588		S	PGR	178	Irritant to skin and eyes
Chlorpyrifos [ISO]	2921-88-2	2783	OP	S	I	135	DS 18; ICSC 851; JMPR 2000
Clomazone [ISO]	81777-89-1			L	H	1369	
Copper sulfate [C]	7758-98-7		CU	S	F	300	
Cuprous oxide [C]	1317-39-1		CU	S	F	470	ICSC 421, EHC 200
Cyanazine [ISO]	21725-46-2		T	S	H	288	ICSC 391
Cyanophos [ISO]	2636-26-2		OP	L	I	610	
Cyfluthrin [ISO]	68359-37-5		PY	S	I	c250	See note 9, p. 7; JECFA 1997
Beta-cyfluthrin [ISO]	68359-37-5		PY	S	I	450	See note 9, p. 7
Cyhalothrin [ISO]	68085-85-8	3352	PY	Oil	Ix	c144	See note 9, p. 7; EHC 99; HSG 38; ICSC 858; JMPR 1985c, JECFA 2000b
Cypermethrin [ISO]	52315-07-8	3352	PY	L	I	c250	See note 9, p. 7; DS 58; EHC 82; HSG 22; ICSC 246; JECFA 1996

Table 3. Moderately hazardous (Class II) technical grade active ingredients in pesticides, continued

Common name	CAS no	UN no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Alpha-cypermethrin [ISO]	67375-30-8	3349	PY	S	I	c79	See note 9, p 7; EHC 142; JECFA 1996
Cyphenothrin [(1R)-isomers] [ISO]	39515-40-7	3352	PY	L	I	318	
2,4-D [ISO]	94-75-7	3345	PAA	S	H	375	DS 37; EHC 29, 84; HSG 5; IARC 41, Suppl. 7; ICSC 33; JMPR 1998b
DDT [ISO]	50-29-3	2761	OC	S	I	113	See notes 2 and 3; DS 21; EHC 9, 83; IARC 53; ICSC 34; JMPR 1985c, 2001
Deltamethrin [ISO]	52918-63-5	3349	PY	S	I	c135	See note 9, p. 7; DS 50; EHC 97; HSG 30; IARC 53; ICSC 247; JMPR 2001
Diazinon [ISO]	333-41-5	3018	OP	L	I	1000	DS 45, EHC 198; ICSC 137; JMPR 1994, 2002
Difenzoquat [ISO]	43222-48-6	2588		S	H	470	
Dimethoate [ISO]	60-51-5	2783	OP	S	I	c150	DS 42; EHC 90; HSG 20; ICSC 741; JMPR 1997b, 2004
Dinobuton [ISO]	973-21-7	2779	NP	S	AC,F	140	
Diquat [ISO]	2764-72-9	2781	BP	S	H	231	Irritant to skin and eyes and damages nails; DS 40; EHC 39; HSG 52; JMPR 1994
Endosulfan [ISO]	115-29-7	2761	OC	S	I	80	DS 15; EHC 40; HSG 17; ICSC 742; JMPR 1999
Endothal-sodium [(ISO)]	125-67-9	2588		S	H	51	
EPTC [ISO]	759-94-4		TC	L	H	1652	ICSC 469
Esfenvalerate [ISO]	66230-04-4	3349	PY	S	I	87	JMPR 2003b
Ethion [ISO]	563-12-2	3018	OP	L	I	208	ICSC 888; JMPR 1991
Fenazaquin [ISO]	120928-09-8	2588		S	AC	134	
Fenitrothion [ISO]	122-14-5		OP	L	I	503	DS 30; EHC 133; HSG 65; ICSC 622; JMPR 2001
Fenobucarb	3766-81-2		C	S	I	620	
Fenpropidin [ISO]	67306-00-7			L	F	1440	
Fenprothrin [ISO]	64257-84-7	3349	PY	S	I	c66	See note 9, p. 7; JMPR 1994
Fenthion [ISO]	55-38-9	3018	OP	L	I,L	D586	DS 23; ICSC 655; JMPR 1998b
Fentin acetate[(ISO)]	900-95-8	2786	OT	S	F	125	DS 22; EHC 15; JMPR 1992; CICAD 13
Fentin hydroxide[(ISO)]	76-87-9	2786	OT	S	F	108	DS 22; EHC 15; ICSC 1283; JMPR 1992; CICAD 13
Fenvalerate [ISO]	51630-58-1	3352	PY	L	I	c450	See note 9, p. 7; DS90; EHC 95, HSG 34; IARC 53; ICSC 273; JMPR 1985c
Fipronil	120068-37-3	2588		S	I	92	JMPR 1998b, 2001
Fluxofenim [ISO]	88485-37-4			oil	H	670	
Fuberidazole [ISO]	3878-19-1			S	F	336	



Table 3. Moderately hazardous (Class II) technical grade active ingredients in pesticides, continued

Common name	CAS no	UN no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Gamma-HCH [ISO], Lindane	58-89-9	2761	OC	S	I	88	JMPR 2003b; See note 3
Guazatine	108173-90-6			S	FST	230	LD50 value refers to triacetate; JMPR 1998b
Haloxypop	69806-34-4			S	H	393	JMPR 1996b
HCH [ISO]	608-73-1	2761	OC	S	I	100	See notes 2, 3 and 4; EHC 123; IARC 20, Suppl 7; ICSC 487; JMPR 1974
Imazalil [ISO]	35554-44-0	2588		S	F	320	ICSC 1303; JMPR 2001, 2002
Imidacloprid [ISO]	138261-41-3			S	I	450	JMPR 2002
Iminoctadine [ISO]	13516-27-3			S	F	300	Eye irritant
loxynil [ISO]	1689-83-4	2588		S	H	110	ICSC 900
loxynil octanoate [(ISO)]	3861-47-0			S	H	390	
Isoprocarb [ISO]	2631-40-5	2757	C	S	I	403	
Lambda-cyhalothrin	2164-08-1	3349	PY	S	I	c56	See note 9, p. 7; HSG 38
Mercurous chloride [C]	10112-91-1	2025	HG	S	F	210	See note 3; ICSC 984, CICAD 50
Metaldehyde [ISO]	108-62-3			S	M	227	DS 93
Metam-sodium [(ISO)]	137-42-8	2771		S	F-S	285	
Methacrifos [ISO]	62610-77-9		OP	L	I	678	JMPR 1991
Methasulfocarb [ISO]	66952-49-6	2757		S	F	112	
Methyl isothiocyanate [ISO]	556-61-6	2588		S	F-S	72	Skin and eye irritant; see note 5
Metolcarb [ISO]	1129-41-5		C	S	I	268	
Metribuzin [ISO]	21087-64-9			S	H	322	
Molinate [ISO]	2212-67-1		TC	L	H	720	
Nabam [ISO]	142-59-6	2771		S	F	395	Goitrogenic in rats
Naled [ISO]	300-76-5	3018	OP	L	I	430	DS 39; ICSC 925
Paraquat [ISO]	1910-42-5	2781	BP	S	H	150	See note 6; DS 4; EHC 39; HSG 51; ICSC 5; JMPR 1987a, 2004
Pebulate [ISO]	1114-71-2		TC	L	H	1120	
Permethrin [ISO]	52645-53-1	3352	PY	L	I	c500	See note 9, p. 7; DS 51; EHC 94; HSG 33; IARC 53; ICSC 312; JMPR 2000
Phenthoate [ISO]	2597-03-7	3018	OP	L	I	c400	DS 48; JMPR 1985c
Phosalone [ISO]	2310-17-0	2783	OP	S	I	120	ICSC 797; JMPR 1998b, 2002
Phosmet [ISO]	732-11-6	2783	OP	S	I,AC	113	ICSC 543; JMPR 1995b, 1999, 2004
Phoxim [ISO]	14816-18-3		OP	L	I	D1975	DS 31; JECFA 2000a

Table 3. Moderately hazardous (Class II) technical grade active ingredients in pesticides, continued

Common name	CAS no	UN no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Piperophos [ISO]	24151-93-7	3018	OP	oil	H	324	
Pirimicarb [ISO]	23103-98-2	2757	C	S	AP	147	JMPR 1983, 2005
Prallethrin [ISO]	23031-36-9	3352	PY	oil	I	460	
Profenofos [ISO]	41198-08-7	3018	OP	L	I	358	JMPR 1991
Propiconazole [ISO]	60207-90-1			L	F	1520	JMPR 1988, 2005
Propoxur [ISO]	114-26-1	2757	C	S	I	95	DS 25; ICSC 191; JMPR 1990
Prosulfocarb [ISO]	52888-80-9		TC	L	H	1820	
Prothiofos [ISO]	34643-46-4		OP	L	I	925	
Pyraclufos [ISO(*)]	77458-01-6	3018	OP	L	I	237	
Pyrazophos [ISO]	13457-18-6	2784		S	F	435	JMPR 1993
Pyrethrins [C]	8003-34-7			L	I	500-1000	See note 7; DS 11; JMPR 1971, 2000, 2004
Pyroquilon [ISO]	57369-32-1			S	F	320	
Quinalphos [ISO]	13593-03-8	2783	OP	S	I	62	
Quizalofop-p-tefuryl [ISO]	119738-06-6			L	H	1012	
Rotenone [C]	83-79-4	2588		S	I	132-1500	See note 8; HSG 73; ICSC 944
Spiroxamine [ISO(*)]	118134-30-8			L	F	500	Dermal LD <sub>50</sub> 1068 mg/kg; may cause skin sensitisation
TCA [ISO] (acid)	76-03-9	1839		S		400	See note 2 to table 5, p. 34; ICSC 586
Terbumeton [ISO]	33693-04-8		T	S	H	483	
Tetraconazole [ISO]	112281-77-3			Oil	F	1031	
Thiacloprid				S	I	444	
Thiobencarb [ISO]	28249-77-6		TC	L	H	1300	
Thiocyclam [ISO]	31895-22-4			S	I	310	
Thiodicarb [ISO]	59669-26-0	2757	C	S	I	66	JMPR 2001
Tralomethrin	66841-25-6	3349	PY	S	I	c85	
Triazamate [ISO(*)]	112143-82-5	2588		S	AP	50-100	
Trichlorfon [ISO]	52-68-6		OP	S	I	250	DS 27; EHC 132; HSG 66; IARC 30, Suppl 7; ICSC 585; JMPR 1979; JECFA 2000b,2003
Tricyclazole [ISO]	41814-78-2			S	F	305	
Tridemorph [ISO]	81412-43-3			Oil	F	650	
Xylylcarb	2425-10-7		C	S	I	380	

EHC = Environmental Health Criteria Monograph; DS= Pesticide Data Sheet; HSG = Health and Safety Guide; IARC = IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; ICSC = International Chemical Safety Card; JECFA : Evaluation by the Joint FAO/WHO Expert Committee on Food Additives; JMPR = Evaluation by the Joint FAO/WHO Meeting on Pesticide Residues.

#### Notes to Class II

1. Bioallethrin, esbiothrin, esbiol, and esdepalléthrine are members of the series; their toxicity varies considerably within this series, according to concentrations of isomers.
2. The production and use of chlordane and DDT are strictly limited by the Stockholm convention on persistent organic pollutants, which entered into force on 17 May, 2004. See <http://www.pops.int/> .
3. The international trade of chlordane, DDT, Gamma-HCH, HCH, and mercury compounds is regulated by the Rotterdam convention on Prior Informed Consent (see <http://www.pic.int/>), which entered into force on 24 February 2004. See Table 7, p. 39.
4. HCH: The LD<sub>50</sub> varies according to the mixture of isomers. The value shown has been chosen, and the technical product placed in Class II, as a result of the cumulative properties of the beta isomer.
5. The melting point of methyl isothiocyanate (S) is 35°C.
6. Paraquat has serious delayed effects if absorbed. It is of relatively low hazard in normal use but may be fatal if the concentrated product is taken by mouth or spread on the skin.
7. Mixture of compounds present in *Pyrethrum cineraefolium* and other flowers;
8. Compounds from roots of *Derris* and *Lonchocarpus* spp

<p>THE FINAL CLASSIFICATION OF ANY PRODUCT DEPENDS ON ITS FORMULATION See Pages 6 &amp; 7, and the Annex</p>
--

Table 4. Slightly hazardous (Class III) technical grade active ingredients in pesticides

Common name	CAS no	UN no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Acephate [ISO]	30560-19-1		OP	S	I	945	JMPR 2003b
Acetochlor [ISO]	34256-82-1			L	H	2950	
Acifluorfen [ISO]	50594-66-6			S	H	1370	Strong irritant to eyes
Alachlor [ISO]	15972-60-8	2588		S	H	930	See note 1, p. 30; DS 86; ICSC 371
Allethrin [ISO]	584-79-2		PY	Oil	I	c685	See note 9, page 7; EHC 87; HSG 24; ICSC 212; JMPR 1965a
Ametryn [ISO]	834-12-8		T	S	H	1110	
Amitraz [ISO]	33089-61-1			S	AC	800	ICSC 98; JMPR 1999
Azamethiphos [ISO]	35575-96-3		OP	S	I	1010	
Bensultap [ISO]	17606-31-4			S	I	1100	
Bentazone [ISO]	25057-89-0			S	H	1100	HSG 48; ICSC 828; JMPR 1992, 1999, 2005
<i>Butralin [ISO]</i>	<i>33629-47-9</i>			<i>S</i>	<i>H</i>	<i>1049</i>	<i>Classification changed</i>
Butoxydim [ISO]	138164-12-2			S	H	1635	
Chinomethionat [ISO]	2439-01-2			S	AC,F	2500	JMPR 1988
Chlormequat (chloride) [ISO]	999-81-5			S	PGR	670	ICSC 781; JMPR 2000
Chloroacetic acid [C]	79-11-8	1751		S	H	650	Irritant to skin and eyes; data refer to sodium salt; ICSC 235
Copper hydroxide [C]	20427-59-2		CU	S	F	1000	
Copper oxychloride [C]	1332-40-7		CU	S	F	1440	
4-CPA [ISO]	122-88-3		PAA	S	PGR	850	
Cycloate [ISO]	1134-23-2		TC	L	H	>2000	
Cyhexatin [ISO]	13121-70-5		OT	S	AC	540	EHC 15; JMPR 1992, 1995b
Cymoxanil [ISO]	57966-95-7			S	F	1196	
Cyproconazole	94361-06-5			S	F	1020	
Dazomet [ISO]	533-74-4			S	F-S	640	Irritant to skin and eyes; ICSC 786
2,4-DB	94-82-6			S	H	700	
Dicamba [ISO]	1918-00-9			S	H	1707	ICSC 139
Dichlormid	37764-25-3			L	H	2080	
Dichlorobenzene [C]	106-46-7			S	FM	500-5000	Mixture of isomers: ortho (3) 95-50-1, meta (3) 541-73-1, para (2B) 106-46-7
Dichlorophen [ISO]	97-23-4		OC	S	F	1250	
Dichlorprop [ISO]	7547-66-2			S	H	800	ICSC 38
Diclofop [ISO]	40483-25-2			S	H	565	

Table 4. Slightly hazardous (Class III) technical grade active ingredients in pesticides, continued

Common name	CAS no	UN no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Dicofol [ISO]	115-32-2		OC	S	AC	c690	DS 81; IARC 30; ICSC 752; JMPR 1993
Diethyltoluamide [ISO]	134-62-3			L	RP (insect)	c2000	DS 80
Difenoconazole [ISO]	119446-68-3			S	F	1453	
Dimepiperate [ISO]	61432-55-1		TC	S	H	946	
Dimethachlor [ISO]	50563-36-5			S	H	1600	
Dimethametryn [ISO]	22936-75-0		T	L	H	3000	
Dimethipin [ISO]	55290-64-7			S	H	1180	JMPR 2000, 2005
Dimethylarsinic acid [C]	75-60-5	1572	AS	S	H	1350	EHC 224
Diniconazole [ISO]	83657-24-3			S	F	639	
Dinocap [ISO]	39300-45-3		NP	S	AC,F	980	ICSC 881; JMPR 1999
Diphenamid [ISO]	957-51-7			S	H	970	ICSC 763
Dithianon [ISO]	3347-22-6			S	F	640	JMPR 1993
Dodine [ISO]	2439-10-3			S	F	1000	JMPR 2001
Empenthrin [(1R) isomers] [ISO]	54406-48-3		PY	Oil	I	>2280	
Esprocarb [ISO]	85785-20-2		TC	L	H	>2000	Skin and eye irritant
Etridiazole [ISO]	2593-15-9			L	F	2000	
Fenothiocarb [ISO]	62850-32-2		C	S	L	1150	
Ferimzone [ISO]	89269-64-7			S	F	725	
Fluazifop-p-butyl [ISO]	83066-88-0			L	H	2451	
Fluchloralin [ISO]	33245-39-5			S	H	1550	
Flufenacet [ISO(*)]	142459-58-3			S	H	600	May cause skin sensitization
Fluoroglycofen	77501-60-1			S	H	1500	
Flurprimidol [ISO]	56425-91-3			S	PGR	709	
Flusilazole	85509-19-9			S	F	1110	JMPR 1996b
Flutriafol [ISO]	76674-21-0			S	F,FST	1140	
Fomesafen [ISO]	72178-02-0		OC	S	H	1250	
Furalaxyl [ISO]	57646-30-7			S	F	940	
Glufosinate [ISO]	53369-07-6			S	H	1625	JMPR 2000
Hexazinone [ISO]	51235-04-2			S	H	1690	

Table 4. Slightly hazardous (Class III) technical grade active ingredients in pesticides, continued

Common name	CAS no	UN no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Hydramethylnon	67485-29-4			S	I	1200	
Iprobenfos	26087-47-8			S	F	600	
Isoprothiolane [ISO]	50512-35-1			S	F	1190	
Isoproturon [ISO]	34123-59-6			S	H	1800	
Isouron [ISO]	55861-78-4			S	H	630	
Malathion [ISO]	121-75-5	3082	OP	L	I	c2100	See note 2, p. 30; DS 29; IARC 30; ICSC 172; JMPR 1998b, 2004
MCPA [ISO]	94-74-6		PAA	S	H	700	IARC 41, Suppl 7; ICSC 54
MCPA-thioethyl [ISO]	25319-90-8		PAA	S	H	790	
MCPB [ISO]	94-81-5			S	H	680	
Mecoprop [ISO]	7085-19-0			S	H	930	ICSC 55
Mecoprop-P [ISO]	16484-77-8			S	H	1050	
Mefluidide [ISO]	53780-34-0			S	H	1920	
Mepiquat [ISO]	15302-91-7			S	PGR	1490	
Metalaxyl [ISO]	57837-19-1			S	F	670	JMPR 2003b
Metamitron [ISO]	41394-05-2			S	H	1183	
Metconazole [ISO]	125116-23-6			S	F	660	
Methylarsonic acid [ISO]	124-58-3		AS	S	H	1800	ICSC 755, EHC 224
Metolachlor [ISO]	51218-45-2			L	H	2780	
Myclobutanil	88671-89-0			S	F	1600	JMPR 1993
2-Napthoxyacetic acid [ISO]	120-23-0			S	PGR	600	
Nitrapyrin [ISO]	1929-82-4			S	B-S	1072	
Nuarimol [ISO]	63284-71-9			S	F	1250	
Octhilinone [ISO]	26530-20-1			S	F	1470	
N-octylbicycloheptene dicarboximide [C]	113-48-4			L	SY	2800	
Oxadixyl	77732-09-3			A	F	1860	
Paclobutrazol [ISO]	76738-62-0			S	PGR	1300	JMPR 1989
Pendimethalin [ISO]	40487-42-1			S	H	1050	
Pimaricin	7681-93-8			S	F	2730	See note 3, p. 30
Pirimiphos-methyl [ISO]	29232-93-7		OP	L	I	2018	DS 49; JMPR 1993
Prochloraz [ISO]	67747-09-5			S	F	1600	JMPR 2003b
Propachlor [ISO]	1918-16-7			S	H	1500	DS 78; EHC 147; HSG 77
Propanil [ISO]	709-98-8			S	H	c1400	ICSC 552

Table 4. Slightly hazardous (Class III) technical grade active ingredients in pesticides, continued

Common name	CAS no	UN no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Propargite [ISO]	2312-35-8			L	AC	2200	JMPR 2000
Pyrazoxyfen [ISO]	71561-11-0			S	H	1644	
Pyridaben [ISO]	96489-71-3			S	AC	820	
Pyridaphenthion	119-12-0		OP	S	I	769	
Pyridate [ISO]	55512-33-9			S	H	c2000	
Pyrifenox [ISO]	88283-41-4			L	F	2900	
Quinoclamine [ISO]	2797-51-5			S	H	1360	
Quizalofop	76578-12-6			S	H	1670	
Resmethrin [ISO]	10453-86-8		PY	S	I	2000	See note 4, p. 30; EHC 92,DS 83,HSG 25;ICSC 324
Sethoxydim [ISO]	74051-80-2			L	H	3200	
Simetryn [ISO]	1014-70-6		T	S	H	1830	
Sodium chlorate [ISO]	7775-09-9	1495		S	H	1200	ICSC 1117
Sulfluramid [ISO]	4151-50-2			S	I	543	
2,3,6-TBA [ISO]	50-31-7			S	H	1500	
Tebuconazole [ISO]	107534-96-3			S	F	1700	JMPR 1995b
Tebufenpyrad [ISO(*)]	119168-77-3			S	MT	595	
Tebuthiuron [ISO]	34014-18-1			S	H	644	
Thiram [ISO]	137-26-8			S	F	560	DS 71; EHC 78; IARC 53; ICSC 757; JMPR 1993, See note 5
Tralkoxydim [ISO]	87820-88-0			S	H	934	
Triadimefon [ISO]	43121-43-3			S	F	602	JMPR 1986b, 2005
Triadimenol [ISO]	55219-65-3			S	FST	900	JMPR 1990, 2005
Tri-allate [ISO]	2303-17-5		TC	L	H	2165	HSG 89; ICSC 201
Triclopyr [ISO]	55335-06-3			S	H	710	
Triflumizole	99387-89-0			S	F	695	ICSC 1252
Undecan-2-one [C]	112-12-9			Oil	RP, dogs,cats	2500	
Uniconazole [ISO]	83657-22-1			S	PGR	1790	
XMC	2655-14-3		C	S	I	542	
Ziram [ISO]	137-30-4			S	F	1400	Irritant to skin; DS 73; EHC 78; IARC 53; ICSC 348; JMPR 1997b

EHC = Environmental Health Criteria Monograph; DS= Pesticide Data Sheet; HSG = Health and Safety Guide; IARC = IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; ICSC = International Chemical Safety Card; JMPR = Evaluation by the Joint FAO/WHO Meeting on Pesticide Residues.

Notes to Class III:

1. Alachlor was previously classified as Class Ia pesticide due to its carcinogenicity in rats. But mechanistic studies have indicated that tumors are induced by a mechanism not relevant to humans.
2. Malathion: LD<sub>50</sub> value can vary according to impurities. This value has been adopted for classification purposes and is that of a technical product conforming to WHO specifications.
3. Pimaricin: antibiotic, identical with tennecetin and natamycin.
4. Resmethrin is a mixture of isomers, the trans isomer (70-80%) also being known as bioresmethrin and the *cis* isomer (20-30%) as cismethrin. Bioresmethrin alone is of much lower toxicity (oral LD<sub>50</sub> 9 000 mg/kg) and is the subject of DS 34. It appears in table 5.
5. The international trade of thiram is regulated by the Rotterdam convention on Prior Informed Consent (see <http://www.pic.int/>), which entered into force on 24 February 2004. See Table 7, p. 39.

<p>THE FINAL CLASSIFICATION OF ANY PRODUCT DEPENDS ON ITS FORMULATION See Pages 6 &amp; 7, and the Annex</p>
--



Table 5. Technical grade active ingredients of pesticides unlikely to present acute hazard in normal use

Common name	CAS no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Aclonifen	74070-46-5		S	H	>5000	
Acrinathrin [ISO]	101007-06-1	PY	S	MT	>5000	
Alloxydim	55634-91-8		S	H	2260	
Amitrole [ISO]	61-82-5		S	H	5000	EHC 158, DS 79; HSG 85; IARC 79; ICSC 631; JMPR 1998b
Ammonium sulfamate	7773-06-0		S	H	3900	
Ancymidol [ISO]	12771-68-5		S	PGR	4500	
Anthraquinone	84-65-1		S	RP (birds)	>5000	
Asulam [ISO]	3337-71-1		S	H	>4000	
Atrazine [ISO]	1912-24-9	T	S	H	c2000	DS 82; HSG 47; IARC 53; ICSC 99
Azimsulfuron [ISO]	120162-55-2		S	H	>5000	
Azoxystrobine [ISO]	131860-33-8		S	F	>5000	
<i>Bacillus thuringiensis (Bt)</i>	68038-71-1		S	I	>4000	EHC 217
Benalaxyl [ISO]	71626-11-4		S	F	c4200	JMPR 1988
Benazolin [ISO]	3813-05-6		S	H	3200	Irritant to skin and eyes
Benfluralin [ISO]	1861-40-1		S	H	>10000	
Benfuresate	68505-69-1		S	H	2031	
Benomyl [ISO]	17804-35-2		S	F	>10000	EHC 148, DS 87; HSG 81; ICSC 382; JMPR 1996b. See note 3
Benoxacor [ISO]	98730-04-2		S	H	>5000	This molecule is not an active substance as such but is a "safener"
Bensulfuron-methyl	83055-99-6		S	H	>5000	
Bifenox [ISO]	42576-02-3		S	H	>6400	
Bioresmethrin [ISO]	28434-01-7	PY	L	I	>7000	DS 34; EHC 92; HSG 25; ICSC 229; JMPR 1992
Biphenyl	92-52-4		S	F	3280	ICSC 106
Bispyribac	125401-75-4		S	H	2635	
<i>Bitertanol</i>	55179-31-2		S	F	>5000	JMPR 1999; See note 1
Borax [ISO]	1303-96-4		S	F	4500	ICSC 567
Bromacil [ISO]	314-40-9		S	H	5200	
Bromobutide	74712-19-9		S	H	>5000	
Bromopropylate [ISO]	18181-80-1		S	AC	>5000	JMPR 1994
Bupirimate [ISO]	41483-43-6		S	F	c4000	
Buprofezin [ISO]	69327-76-0		S	I	2200	JMPR 1992
Butachlor	23184-66-9		L	H	3300	
Butylate [ISO]	2008-41-5	TC	L	F	>4000	
Captan [ISO]	133-06-2		S	F	9000	Irritant to skin; DS 9; HSG 50; IARC 30, Suppl 7; ICSC 120; JMPR 1996b, 2005
Carbendazim [ISO]	10605-21-7		S	F	>10000	DS 89; EHC 149; HSG 82; ICSC 1277; JMPR 1996b
Carbetamide [ISO]	16118-49-3	C	S	H	>10000	
Carboxin [ISO]	5234-68-4		S	FST	3820	
Carpropamid [ISO(*)]	104030-54-8		L	F	>5000	
Chloransulam methyl	14750-35-4			H	>5000	

Table 5. Technical grade active ingredients of pesticides unlikely to present acute hazard in normal use, continued

Common name	CAS no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Chlorfluazuron	71422-67-8		S	IGR	8500	
Chloridazon [ISO]	1698-60-8		S	H	2420	
Chlorimuron	99283-00-8		S	H	4102	
Chlorothalonil [ISO]	1897-45-6		S	F	>10000	EHC 183; HSG 98; IARC 73; ICSC 134; JMPR 1993
Chlorotoluron [ISO]	15545-48-9		S	H	>10000	
Chlorpropham [ISO]	101-21-3	C	S	PGR	>5000	IARC 12, Suppl 7; JMPR 2001
Chlorpyrifos methyl [ISO]	5598-13-0	OP	S	I	>3000	DS 33; JMPR 1993
Chlorsulfuron	64902-72-3		S	H	5545	
Chlorthal-dimethyl [ISO]	1861-32-1		S	H	>3000	
Chlozolate	84332-86-5		S	F	>4000	
Cinmethylin	87818-31-3		L	H	3960	
Cinosulfuron [ISO]	94593-91-6		S	H	>5000	
Clofentezine [ISO(*)]	74115-24-5		S	AC	>5200	JMPR 1987a
Clomeprop	84496-56-0		S	H	>5000	
Clopyralid	57754-85-5		S	H	4300	Severe irritant to eyes
Cloxyfonac	32791-87-0	PAA	S	PGR	>5000	
Cryolite [C]	15096-52-3		S	I	>10000	
Cycloprothrin	63935-38-6	PY	L	I	>5000	
Cyclosulfamuron [ISO(*)]	136849-15-5		S	H	>5000	
Cycloxydim	101205-02-1		S	H	3900	JMPR 1993
Cyhalofop [ISO]	122008-85-9		S	H	>5000	
Cyromazine	66215-27-8		S	L	3300	JMPR 1991
Daimuron	42609-52-9		S	H	>5000	
Dalapon	75-99-0		S	H	9330	
Daminozide [ISO]	1596-84-5		S	H	8400	JMPR 1992
Desmedipham [ISO]	13684-56-5		S	H	>9600	
Diafenthiuron [ISO]	80060-09-9		S	AC	2068	
Dichlobenil [ISO]	1194-65-6		S	H	3160	ICSC 867
Dichlofluanid [ISO]	1085-98-9		S	F	>5000	JMPR 1985a
Diclomezine	62865-36-5		S	F	>10000	
Dicloran	99-30-9		S	F	4000	ICSC 871; JMPR 1999
Diclosulam [ISO]	145701-21-9			H	>5000	
Diethofencarb	87130-20-9		S	F	>5000	
Diflubenzuron	35367-38-5		S	L	>4640	DS 77, EHC 184; HSG 99; JMPR 2002
Diflufenican [ISO(*)]	83164-33-4		S	H	>2000	
Dikegulac [ISO]	18467-77-1		S	PGR	>10000	
Dimefuron [ISO]	34205-21-5		S	H	>2000	
Dimethirimol [ISO]	5221-53-4		S	F	2350	
Dimethomorph [ISO]	110488-70-5		S	F	>5000	
Dimethyl phthalate [C]	131-11-3		L	RP (insect)	8200	ICSC 261
Dinitramine [ISO]	29091-05-2		S	H	3000	
Dipropyl isocinchomerate [C]	3737-22-2		L	RP (fly)	5230	
Dithiopyr [ISO]	97886-45-8		S	H	>5000	
Diuron [ISO]	330-54-1		S	H	3400	
Dodemorph [ISO]	1593-77-7		L	H	4500	
Ethalfuralin [ISO]	55283-68-6		S	H	>10000	
Ethephon	16672-87-0		S	PGR	>4000	JMPR 1994; 2003b
Ethirimol [ISO]	23947-60-6		S	FST	6340	

Table 5. Technical grade active ingredients of pesticides unlikely to present acute hazard in normal use, continued

Common name	CAS no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Ethofumesate [ISO]	26225-79-6		S	H	>6400	
<i>Ethyl butylacetylaminopropionate</i>	52304-36-6		L	RP (insect)	>5000	See note 1
Etofenprox	80844-07-1		S	I	>10000	JMPR 1994
Famoxadone [ISO(*)]	131807-57-3		S	F	>5000	JMPR 2004
Fenarimol [ISO]	60168-88-9		S	F	2500	JMPR 1996b
<i>Fenbuconazole</i>	114369-43-6		S	F	>2000	Dermal LD <sub>50</sub> > 5000 mg/kg; JMPR 1998
Fenbutatin oxide [ISO]	13356-08-6	OT	S	MT	2630	EHC 15; JMPR 1993
Fenchlorazole [ISO]	103112-35-2		S	H	>5000	
Fenclorim	3740-92-9		S	H	>5000	
Fenfuram [ISO]	24691-80-3		S	FST	>10000	
Fenhexamid [ISO(*)]	126833-17-8		S	F	>5000	
Fenoxycarb	79127-80-3	C	S	I	>10000	
Fenpiclonil	74738-17-3		S	FST	>5000	
Fenpropimorph	67564-91-4		oil	F	3515	JMPR 1995b, 2002, 2005
Ferbam [ISO]	14484-64-1		S	F	>10000	DS 94; EHC 78; IARC 42, Suppl 7; ICSC 792; JMPR 1997b
Flamprop-M	90134-59-1		S	H	>3000	
<i>Florasulam</i>	145701-23-1		S	H	>5000	Dermal LD <sub>50</sub> > 2000
Flucarbazono-sodium	181274-17-9		S	H	> 5000	
Flucycloxuron [ISO]	94050-52-9		S	AC	>5000	
Flufenoxuron	101463-69-8		S	I	>3000	
Flumetralin	62924-70-3		S	PGR	>5000	
Flumetsulam [ISO]	98967-40-9		S	H	>5000	
Fluometuron [ISO]	2164-17-2		S	H	>8000	
Flupropanate	756-09-2		S	H	>10000	
Flupyrsulfuron [ISO]	144740-54-5		S	H	>5000	
Flurenol [ISO]	467-69-6		S	PGR	>5000	
Fluridone [ISO]	59756-60-4		S	H	>10000	
Flurochloridone	61213-25-0		S	H	4000	
Fluroxypyr	69377-81-7		S	H	>5000	
Fluthiacet	149253-65-6		S	H	>5000	
Flutolanil	66332-96-5		S	F	>10000	ICSC 1265; JMPR 2003b
tau-Fluvalinate	102851-06-9	PY	oil	I	>3000	Skin and eye irritant
Folpet	133-07-3		S	F	>10000	HSG 72; ICSC 156; JMPR 1996b
Fosamine [ISO]	25954-13-6	OP	S	H	2400	
Fosetyl	15845-66-2		S	F	5800	
Gibberellic acid	77-06-5		S	PGR	>10000	
Glyphosate [ISO]	1071-83-6		S	H	4230	EHC 159, DS 91; ICSC 160; JMPR 1987a
<i>Halofenozide</i>	112226-61-6		S	I	2850	Dermal LD <sub>50</sub> > 2000
Hexaconazole	79983-71-4		S	F	2180	JMPR 1991
Hexaflumuron [ISO]	86479-06-3		S	I	>5000	ICSC 1266
Hexythiazox	78587-05-0		S	AC	>5000	JMPR 1992
Hydroprene [ISO]	41205-09-8		L	IGR	>10000	
2-Hydroxyethyl octyl sulphide [C]	3547-33-9		L	RP (insect)	8530	
Hymexazol	10004-44-1		S	FST	3900	
Imazamethabenzmethyl [(ISO)]	81405-85-8		S	H	>5000	
Imazapyr	81334-34-1		S	H	>5000	Irritant to eyes
Imazaquin	81335-37-7		S	H	>5000	

Table 5. Technical grade active ingredients of pesticides unlikely to present acute hazard in normal use, continued

Common name	CAS no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Imazethapyr	81335-77-5		S	H	>5000	
Imibenconazole [ISO]	86598-92-7		S	F	>5000	
Inabenfide	82211-24-3		S	PGR	>10000	
Iprodione [ISO]	36734-19-7		S	F	3500	JMPR 1996b
Iprovalicarb	140923-17-7		S	F	>5000	
Isoxaben	82558-50-7		S	H	>10000	
Kasugamycin	19408-46-9		S	F	>10000	
Lenacil [ISO]	2164-08-1		S	H	>10000	
Linuron [ISO]	330-55-2		S	H	4000	ICSC 1300
Maleic hydrazide [C]	10071-13-3		S	PGR	6950	IARC 4, Suppl 7; JMPR 1997b CAS no 123-33-1 for dione tautomer
Mancozeb	8018-01-7		S	F	>8000	Irritant to skin on multiple exposure; DS 94; EHC 78; ICSC 754; JMPR 1994
Maneb [ISO]	12427-38-2		S	F	6750	Irritant to skin on multiple exposure; DS 94; EHC 78; ICSC 173; JMPR 1994
Mefenacet	73250-68-7		S	H	>5000	
Mepanipyrim [ISO]	110235-47-7		S	F	>5000	
Mepronil [ISO]	55814-41-0		S	F	>10000	
Metazachlor	67129-08-2		S	H	2150	
Methabenzthiazuron [ISO]	18691-97-9		S	H	>2500	
Methoprene [ISO]	40596-69-8		L	IGR	>10000	DS 47; JMPR 2002
Methoxychlor [ISO]	72-43-5	OC	S	I	6000	DS 28; IARC 20, Suppl 7; ICSC 1306; JMPR 1978
<i>Methoxyfenozide</i>	<i>161050-58-4</i>		<i>S</i>	<i>I</i>	<i>&gt;5000</i>	<i>Dermal LD50 &gt; 5000; JMPR 2004</i>
Methylmymron	42609-73-4		S	H	3948	
Metiram	9006-42-2		S	F	>10000	JMPR 1994
Metobromuron [ISO]	3060-89-7		S	H	2500	
Metosulam	139528-85-1		S	H	>5000	
Metoxuron	19937-59-8		S	H	>3200	
Metsulfuron methyl	74223-64-6		S	H	>5000	
Monolinuron	1746-81-2		S	H	2250	ICSC 1273
2-(1-Naphthyl) acetamide	86-86-2		S	PGR	6400	
1-Naphthylacetic acid	86-87-3		S	PGR	c3000	
Napropamide	15299-99-7		S	H	5000	
Naptalam	132-66-1		S	PGR	8200	
Neburon [ISO]	555-37-3		S	H	>10000	
Niclosamide [ISO]	50-65-7		S	M	5000	DS 63
Nicosulfuron [ISO]	111991-09-4		S	H	>5000	Irritant to eyes
Nitrothal-isopropyl [ISO]	10552-74-6		S	F	6400	
Norflurazon [ISO]	27314-13-2		S	H	>8000	
<i>Noviflumuron</i>	<i>121451-02-3</i>		<i>S</i>	<i>I</i>	<i>&gt;5000</i>	<i>Dermal LD50 &gt; 5000; See note 1</i>
Ofurace	58810-48-3		S	F	2600	
Oryzalin [ISO]	19044-88-3		S	H	>10000	
Oxabetrinil	74782-23-3		S	H	>5000	
Oxadiazon [ISO]	19666-30-9		S	H	>8000	
Oxine-copper [ISO]	10380-28-6	CU	S	F	7792	
Oxycarboxin [ISO]	5259-88-1		S	F	2000	
Oxyfluorfen [ISO]	42874-03-3		S	H	>5000	
Penconazole	66246-88-6		S	F	2120	JMPR 1993
Pencycuron	66063-05-6		S	F	>5000	

Table 5. Technical grade active ingredients of pesticides unlikely to present acute hazard in normal use, continued

Common name	CAS no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
<i>Penoxsulam</i>	219714-96-2		S	H	>5000	<i>Dermal LD<sub>50</sub> &gt; 5000</i>
Pentachlor	2307-68-8		S	H	>10000	
Phenmedipham [ISO]	13684-63-4		S	H	>8000	
Phenothrin [ISO]	26002-80-2	PY	L	I	>5000	DS 85; EHC 96; HSG 32; ICSC 313; JMPR 1989
2-Phenylphenol [C]	90-43-7		S	F	2480	ICSC 669; IARC 73; JMPR 2000
Phosphorus acid [C]	13598-36-2		L	F	>5000	
Phthalide	27355-22-2		S	F	>10000	
Picloram [ISO]	1918-02-1		S	H	8200	ICSC 1246
Piperonyl butoxide	51-03-6		Oil	SY	>7500	IARC 30, Suppl 7; JMPR 1996b
Pretilachlor [ISO]	51218-49-6		L	H	6100	
Primisulfuron [ISO]	113036-87-6		S	H	>5050	
Probenazole	27605-76-1		S	F	2030	
Procymidone [ISO]	32809-16-8		S	F	6800	JMPR 1990
Prodiamine [ISO]	29091-21-2		S	H	>5000	
Prometon [ISO]	1610-18-0	T	S	H	2980	
Prometryn [ISO]	7287-19-6	T	S	H	3150	
Propamocarb	24579-73-5		S	F	8600	JMPR 1987a
Propaquizafop	111479-05-1		S	H	>5000	ICSC 1271
Propazine [ISO]	139-40-2	T	S	H	>5000	ICSC 697
Propham [ISO]	122-42-9		S	H	5000	IARC 12, Suppl 7; JMPR 1993
Propineb [ISO]	12071-83-9		S	H	8500	DS 94; EHC 78; JMPR 1994
Propyzamide [ISO]	23950-58-5		S	H	5620	
Pyrazolynate [ISO]	58011-68-0		S	H	9550	
Pyrazosulfuron [ISO]	98389-04-9		S	H	>5000	
Pyrimethanil [ISO]	53112-28-0		S	F	4150	
Pyriminobac	136191-56-5		S	H	>5000	
Pyriproxyfen [ISO]	95737-68-1		S	I	>5000	ICSC 1269; JMPR 2000
Pyrithiobac sodium [ISO]	123343-16-8		S	H	3200	
Quinclorac	84087-01-4		S	H	2680	
Quinmerac [ISO]	90717-03-6		S	H	>5000	
Quinoxifen [ISO]	124495-18-7			F	>5000	
Quintozene [ISO]	82-68-8		S	F	>10000	EHC 41; HSG 23; IARC 5, Suppl 7; JMPR 1996b
Rimsulfuron [C]	122931-48-0		S	H	>5000	
Siduron [ISO]	1982-49-6		S	H	>7500	
Simazine	122-34-9	T	S	H	>5000	ICSC 699
Spinosad [ISO(*)]	168316-95-8			I	3738	For Spinosyn A and D, CAS nos are 131929-60-7 and 131929-63-0; JMPR 2002
Sulfometuron	74223-56-6		S	H	>5000	
Sulphur (UN number 1350)	7704-34-9		S	F,I	>3000	Skin and mucous membrane irritant. See note 2; ICSC 1166
TCA (sodium salt) [ISO]	650-51-1		S	H	3200	Irritant to skin and eyes: see note 3
<i>Tebufenozide</i>	112410-23-8		S	I	>5000	<i>Dermal LD<sub>50</sub> &gt; 5000; JMPR 1997b, 2004</i>
Tebutam	35256-85-0		Oil	H	6210	
Tecnazene [ISO]	117-18-0		S	F	>10000	EHC 42; HSG 12; JMPR 1995b
Teflubenzuron	83121-18-0		S	I	>5000	JMPR 1995b
Temephos [ISO]	3383-96-8	OP	L	I	8600	DS 8; ICSC 199
Terbacil [ISO]	5902-51-2		S	H	>5000	
Terbutylazine [ISO]	5915-41-3	T	S	H	2160	
Terbutryn [ISO]	886-50-0	T	S	H	2400	

Table 5. Technical grade active ingredients of pesticides unlikely to present acute hazard in normal use, continued

Common name	CAS no	Chem type	Phys state	Main use	LD <sub>50</sub> mg/kg	Remarks
Tetrachlorvinphos [ISO]	22248-79-9	OP	S	I	4000	
Tetradifon [ISO]	116-29-0		S	AC	>10000	EHC 67; HSG 11; ICSC 747
Tetramethrin [ISO]	7696-12-0	PY	S	O	>5000	EHC 98; HSG 31; ICSC 334
Thiabendazole [ISO]	148-79-8		S	F	3330	JECFA 1997, 2002
Thidiazuron	51707-55-2		S		>4000	
Thifensulfuron-methyl	79277-27-3		S	H	>5000	
<i>Thifluzamide</i>	130000-40-7		S	F	>5000	<i>Dermal LD<sub>50</sub> &gt; 5000</i>
Thiophanate-methyl [ISO]	23564-05-8		S	F	>6000	JMPR 1996b, 1999
Tiocarbazil	36756-79-3	TC	L	H	10000	
Tolclofos-methyl [ISO]	57018-04-9		S	F-S	c5000	JMPR 1995b
Tolyfluanid [ISO]	731-27-1		S	F	>5000	JMPR 1989, 2003b
Transfluthrin [ISO]	118712-89-3	PY	S	I	>5000	
Triasulfuron	82097-50-5		S	H	>5000	
Tribenuron [ISO]	106040-48-6		S	H	>5000	
Trietazine [ISO]	1912-26-1	T	S	H	2830	ICSC 202
Triflumuron	64628-44-0		S	PGR	>5000	
Trifluralin [ISO]	1582-09-8		S	H	>10000	IARC 53; ICSC 205
Triflurosulfuron-methyl [ISO]	126535-15-7		S	H	>5000	
Triforine [ISO]	26644-46-2		S	F	>6000	JMPR 1998b
Triticonazole [ISO]	131983-72-7		S	F	>2000	
Validamycin	37248-47-8		S	F	>10000	
Vinclozolin [ISO]	50471-44-8		S	F	10000	JMPR 1996b
Zineb [ISO]	12122-67-7		S	F	>5000	DS 94; EHC 78; IARC 12; ICSC 350; JMPR 1994

EHC = Environmental Health Criteria Monograph; DS= Pesticide Data Sheet; HSG = Health and Safety Guide; IARC = IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; ICSC = International Chemical Safety Card; JECFA : Evaluation by the Joint FAO/WHO Expert Committee on Food Additives; JMPR = Evaluation by the Joint FAO/WHO Meeting on Pesticide Residues.

Notes to table 5:

1. Sulphur dust can spontaneously ignite unless diluted about 50% with inert material.
2. TCA: The data shown refer to sodium trichloroacetic acid. In many countries, the same term (TCA) refers to the free acid (now accepted by ISO): this is a solid with an oral LD<sub>50</sub> of 400 mg/kg and if used as a pesticide would be placed in Class II. It is highly corrosive to skin.
3. The international trade of benomyl is regulated by the Rotterdam convention on Prior Informed Consent (see <http://www.pic.int/>), which entered into force on 24 February 2004. See Table 7, p. 39.

<p>THE FINAL CLASSIFICATION OF ANY PRODUCT DEPENDS ON ITS FORMULATION See Pages 6 &amp; 7, and the Annex</p>
--

**TABLE 6. ACTIVE INGREDIENTS BELIEVED TO BE OBSOLETE OR DISCONTINUED FOR USE AS PESTICIDES**

Ingredients discontinued have been identified from the previous edition of this classification, from the Pesticide Manual (Pesticide Manual, 1991, 1994; 1997, 2003), and in some cases from the manufacturer. It is difficult, in some cases, to be sure whether or not all commercial activity in a substance has ceased; some of these materials are known to be still in use for non-agricultural purposes. IPCS will be grateful for details of any materials in this Section, which are still in commercial use. The common name and CAS number are indicated.

Active ingredient	CAS no	Active ingredient	CAS no	Active ingredient	CAS no
Acrylonitrile	107-13-1	Chloraniformethan	20856-57-9	Demeton-S-methylsulphon	17040-19-6
Aldoxycarb	1646-88-4	Chloranil	118-75-2	<i>Desmetryn</i>	1014-69-3
Aldrin <sup>1,2</sup>	309-00-2	Chloranocryl	2164-09-2	Dialifos	10311-84-9
Allidochlor	93-71-0	Chlorbenseide	103-17-3	Di-allate	2303-16-4
Allyxycarb	6392-46-7	Chlorbufam	1967-16-4	Diamidafos	1754-58-1
Amidithion	919-76-6	Chlorbicyclen	2550-75-6	Dibromochloropropane	96-12-8
Aminocarb	2032-59-9	<i>Chlorbromuron</i>	13360-45-7	Dibutyl phthalate	84-74-2
Anilazine	101-05-3	Chlordecone	143-50-0	Dibutyl succinate	141-03-7
ANTU	86-88-4	Chlordimeform <sup>1</sup>	6164-98-3	Dichlofenthion	97-17-6
Aramite	140-57-8	Chlorfenac	85-34-7	1,2-Dichloropropane	78-87-5
Arsenous oxide	1327-53-3	Chlorfenethol	80-06-8	Dichlozoline	24201-58-9
Athidathion	19691-80-6	Chlorfenprop-methyl	14437-17-3	Diclobutrazol	75736-33-3
Atraton	1610-17-9	Chlorfenson	80-33-1	Dieldrin <sup>1,2</sup>	60-57-1
Aziprotryne	4658-28-0	Chlorfensulfide	22274-74-0	<i>Dienochlor</i>	2227-47-0
Azothoate	5834-96-8	Chlorflurenol	2536-31-4	Diethatyl	38727-55-8
Barban	101-27-9	Chlormebuform	37407-77-5	Difenoxuron	14214-32-5
Barium carbonate	513-77-9	Chlormethiuron	28217-97-2	Dimefox	115-26-4
Benodanil	15310-01-7	Chlornitrofen	1836-77-7	Dimetilan	644-64-4
Benquinox	495-73-8	Chlorobenzilate <sup>1</sup>	510-15-6	Dimexano	1468-37-7
Benzoximate	29104-30-1	Chloroneb	2675-77-6	Dinex	131-89-5
Benzoylprop-ethyl	33878-50-1	Chloropropylate	5836-10-2	Dinocton	32534-96-6
Benzthiazuron	1929-88-0	Chloroxuron	1982-47-4	Dinoseb <sup>1</sup>	88-85-7
Binapacryl <sup>1</sup>	485-31-4	Chlorquinox	3495-42-9	Dinoseb acetate <sup>1</sup>	2813-95-8
Bis(tributyltin) oxide	56-35-9	Chlorphoxim	14816-20-7	Dioxabenzophos	3811-49-2
Bisthiosemi	39603-48-0	<i>Chlorthiamid</i>	1918-13-4	Dioxacarb	6988-21-2
Bromocyclen	1715-40-8	Chlorthiophos	21923-23-9	Dioxathion	78-34-2
<i>Bromofenoxim</i>	13181-17-4	Cloethocarb	51487-69-5	Dipropetryn	4147-51-7
Bromophos	2104-96-3	Clofop	26129-32-8	Disul	149-26-8
Bromophos-ethyl	4824-78-6	Coumachlor	81-82-3	Ditalimfos	5131-24-8
Bufencarb	8065-36-9	Crimidine	535-89-7	Drazoxolon	5707-69-7
Butacarb	2655-19-8	Credazine	14491-59-9	Eglinazine	6616-80-4
Butam	35256-85-0	Crotoxyphos	7700-17-6	Endothion	2778-04-3
Butenachlor	87310-56-3	Crufomate	299-86-5	Endrin <sup>2</sup>	72-20-8
Buthidazole	55511-98-3	Cyanofenphos	13067-93-1	EPBP	3792-59-4
Buthiobate	51308-54-4	Cyanthoate	3734-95-0	Erbon	136-25-4
Butonate	126-22-7	Cycloheximide	66-81-9	ESP (Oxydeprofos)	2674-91-1
Butopyronoxyl	532-34-3	Cycluron	2163-69-1	Etacelasil	37894-46-5
Buturon	3766-60-7	Cyometrinil	63278-33-1	Etaconazole	60207-93-4
Calcium cyanamide	156-62-7	Cypendazole	28559-00-4	Ethidimuron	30043-49-3
Camphechlor <sup>1,2</sup>	8001-35-2	Cyprofuram	69581-33-5	Ethiolate	2941-55-1
Carbamorph	31848-11-0	Cypromid	2759-71-9	Ethoate-methyl	116-01-8
Carbanolate	671-04-5	Delachlor	24353-58-0	Ethohexadiol	94-96-2
Carbon disulfide	75-15-0	Demephion-O	682-80-4	Ethyleneglycolbis (trichloroacetate)	2514-53-6
Carbophenothion	786-19-6	Demephion-S	2587-90-8	<i>Etrimfos</i>	38260-54-7
<i>Chlomethoxyfen</i>	32861-85-1	Demeton-O	298-03-3		
<i>Chloramben</i>	133-90-4	Demeton-S	126-75-0		

**TABLE 6. ACTIVE INGREDIENTS BELIEVED TO BE OBSOLETE OR DISCONTINUED FOR USE AS PESTICIDES, continued**

Active ingredient	CAS no	Active ingredient	CAS no	Active ingredient	CAS no
EXD	502-55-6	Karbutilate	4849-32-5	<i>Pindone</i>	83-26-1
Fenamiosulf	140-56-7	Kelevan	4234-79-1	Piproctanyl	69309-47-3
Fenazaflor	14255-88-0	Kinoprene	42588-37-4	<i>Pirimiphos-ethyl</i>	23505-41-1
Fenclorophos	299-84-3	Leptophos	21609-90-5	Potassium cyanate	590-28-3
Fenitropan	65934-95-4	Lythidathion	2669-32-1	Profluralin	26399-36-0
Fenoprop (Silvex)	93-72-1	Malonoben	10537-47-0	Proglinazine	68228-20-6
Fenoxaprop-ethyl	82110-72-3	Mebenil	7055-03-0	Promacyl	34264-24-9
Fenson	80-38-6	Mecarbinzid	27386-64-7	Promecarb	2631-37-0
Fensulfothion	115-90-2	Mecarphon	29173-31-7	<i>Propaphos</i>	7292-16-2
Fenthiaaprop	95721-12-3	Medinoterb acetate	2487-01-6	Propyl isome	83-59-0
<i>Fenuron</i>	101-42-8	Menazon	78-57-9	Prothiocarb	19622-08-3
<i>Fenuron-TCA</i>	4482-55-7	Mephospholan	950-10-7	Prothoate	2275-18-5
Flamprop	58667-63-3	Methazole	20354-26-1	Proxan	108-25-8
Fluazifop	69335-91-7	Methiuron	21540-35-2	Pydanon	22571-07-9
Flubenzimine	37893-02-0	Methoprotryne	841-06-5	Pyracarbolid	24691-76-7
Fluenetil	4301-50-2	Methoxyethylmercury silicate <sup>1</sup>	64491-92-5	Pyridiniril	1086-02-8
Fluorodifen	15457-05-3	Methoxyphenone	41295-28-7	Quinacetol sulfate	57130-91-3
Fluoromide	13577-71-4	Methoxymethyl mercury chloride <sup>1</sup>	123-88-6	Quinonamid	27541-88-4
Fluotrimazole	31251-03-3	Methylmercury dicyan-diamide <sup>1</sup>	502-39-6	Ryania	8047-13-0
Fluvalinate	69409-94-5	Metsulfovax	21542-18-6	Sabadilla	8051-02-3
<i>Fonofos</i>	944-22-9	Mexacarbate	315-18-4	Salicylanilide	87-17-2
Formothion	2540-82-1	Mipafox	371-86-8	Schradan	152-16-9
Fosmethilan	83733-82-8	Mirex <sup>2</sup>	2385-85-5	Scilliroside	507-60-8
Fosthietan	21548-32-3	Monalide	7187-36-7	Secbumeton	26259-45-0
Furconazole-cis	112839-32-4	Monuron	150-68-5	Sesamex	51-14-9
Furmecyclox	60568-05-0	Monuron-TCA	140-41-0	<i>Sodium fluoride</i>	7681-49-4
Glyodin	556-22-9	Morfamquat	4636-83-3	<i>Sodium hexafluorosilicate</i>	16893-85-9
Glyphosine	2439-99-8	Myclozolin	54864-61-8	Sulfallate	95-06-7
Griseofulvin	126-07-8	Naphthalene	91-20-3	Sulfoxide	120-62-7
Halacrinat	34462-96-9	Naphthalic anhydride	81-84-5	<i>Sulprofos</i>	35400-43-2
Haloxydine	2693-61-0	Nitralin	4726-14-1	SWEP	1918-18-9
<i>Heptachlor</i> <sup>1,2</sup>	76-44-8	Nitrilcarb	29672-19-3	2,4,5-T <sup>1</sup>	93-76-5
Heptopargil	73886-28-9	Nitrofen	1836-75-5	TDE	72-54-8
Hexachloroacetone	116-16-5	Norbormide	991-42-4	TEPP	107-49-3
Hexaflurate	17029-22-0	Noruron	2163-79-3	Terbucarb	1918-11-2
Hydroxyquinoline sulfate	134-31-6	Oxapyrazon	4489-31-0	Tetrasul	2227-13-6
Ipazine	1912-25-0	Oxydisulfoton	2497-07-6	Thiazafluron	25366-23-8
IPSP	5827-05-4	Parafurion	7159-99-1	Thicyofen	116170-30-0
<i>Isazofos</i>	42509-80-8	Perfluidone	37924-13-3	Thionazin	297-97-2
Isobenzan	297-78-9	Phenisopham	57375-63-0	Thiophanate	23564-06-9
Isobornyl thiocyno acetate	115-31-1	Phenkapton	2275-14-1	Thioquinox	93-75-4
Isocarbamid	30979-48-7	Phenobenzuron	3134-12-1	Triamiphos	1031-47-6
Isocil	314-42-1	Phenylmercurydimethyl-dithiocarbamate <sup>1</sup>	32407-99-1	Triapenthenol	76608-88-3
Isodrin	465-73-6	Phenylmercury nitrate <sup>1</sup>	8003-05-2	Triarimol	26766-27-8
<i>Isofenphos</i>	25311-71-1	Phosacetim	4104-14-7	Tricamba	2307-49-5
Isomethiozin	57052-04-7	Phosdiphen	36519-00-3	Trichlamide	70193-21-4
Isonoruron	28805-78-9	Phosfolan	947-02-4	Trichloronat	327-98-0
Isopropalin	33820-53-0			Tridiphane	58138-08-2
Isothioate	36614-38-7			Trifenmorph	1420-06-3
Isoxapyrifop	87757-18-4			Trimethacarb	12407-86-2
Jodfenphos	18181-70-9			<i>Vernolate</i>	1929-77-7

<sup>1</sup> The international trade of aldrin, binapacryl, camphechlor (toxaphene), chlordimeform, chlorobenzilate, dieldrin, dinoseb and dinoseb salts, heptachlor, mercury compounds, and 2,4,5-T is regulated by the Rotterdam convention on Prior Informed Consent (see <http://www.pic.int/>), which entered into force on 24 February 2004. See Table 7, p. 39.

<sup>2</sup> The use and production of aldrin, camphechlor (toxaphene), dieldrin, endrin, heptachlor and mirex is prohibited or severely restricted by the Stockholm convention on persistent organic pollutants, which entered into force on 17 May, 2004. See <http://www.pops.int/>



**TABLE 7. PESTICIDES SUBJECT TO THE PRIOR INFORMED CONSENT (PIC) PROCEDURE (UNEP 2004) <sup>1</sup>**

<b>Class</b>	<b>Pesticide</b>	<b>CAS number</b>
O	Aldrin <sup>2</sup>	309-00-2
O	Binapacryl	485-31-4
Ia	Captafol	2425-06-1
II	Chlordane <sup>2</sup>	57-74-9
O	Chlordimeform	6164-98-3
O	Chlorobenzilate	510-15-6
II	DDT <sup>2</sup>	50-29-3
	1,2-Dibromoethane (EDB)	106-93-4
O	Dieldrin <sup>2</sup>	60-57-1
O	Dinoseb and dinoseb salts	88-85-7
Ib	DNOC and its salts (such as ammonium salt, potassium salt and sodium salt)	534-52-1; 2980-64-5; 5787-96-2; 2312-76-7
	Ethylene dichloride	107-06-2
	Ethylene oxide	75-21-8
Ib	Fluoroacetamide	640-19-7
II	HCH (mixed isomers)	608-73-1
O	Heptachlor <sup>2</sup>	76-44-8
Ia	Hexachlorobenzene <sup>2</sup>	118-74-1
II	Lindane	58-89-9
	Mercury compounds, including inorganic mercury compounds, alkyl mercury compounds and alkyloxyalkyl and aryl mercury compounds	
Ib	Pentachlorophenol	87-86-5
O	2,4,5-T	93-76-5
O	Toxaphene	8001-35-2
	Dustable powder formulations containing a combination of benomyl at or above 7%, carbofuran at above 10%, thiram at or above 15%	17804-35-2; 1563-66-2; 137-26-8
Ib	Methamidophos (soluble liquid formulations of the substance that exceed 600 g active ingredient/L)	10265-92-6
Ia	Methyl-parathion (emulsifiable concentrates (EC) with 19.5%, 40%, 50%, 60% active ingredient and dusts containing 1.5%, 2% and 3% active ingredient	298-00-0
Ib	Monocrotophos (all formulations)	6923-22-4
Ia	Parathion (all formulations – aerosols, dustable powder (DP), emulsifiable concentrate (EC), granules (GR) and wettable powders (WP) of this substance are included, except capsule suspensions (CS)	56-38-2
Ia	Phosphamidon (soluble liquid formulations of the substance that exceed 1000 g active ingredient/L)	13171-21-6 [mixture, (E) & (Z) isomers] 23783-98-4 [(Z)-isomer] 297-99-4 [(E)-isomer]

<sup>1</sup> According to the PIC Convention, export of a chemical can only take place with the prior informed consent of the importing Party. The PIC procedure is a means for formally obtaining and disseminating the decisions of importing countries as to whether they wish to receive future shipments of a certain chemical and for ensuring compliance to these decisions by exporting countries. The aim is to promote a shared responsibility between exporting and importing countries in protecting human health and the environment from the harmful effects of such chemicals (further information can be found at: <http://www.pic.int/>)

<sup>2</sup> The use and production of aldrin, chlordane, DDT, dieldrin, heptachlor and hexachlorobenzene is prohibited or severely restricted by the Stockholm convention on persistent organic pollutants, which entered into force on 17 May, 2004. See <http://www.pops.int/>

**TABLE 8. GASEOUS OR VOLATILE FUMIGANTS NOT CLASSIFIED UNDER THE WHO RECOMMENDED CLASSIFICATION OF PESTICIDES BY HAZARD**

The Classification does not set out any criteria for air concentrations on which classification could be based. Most of these compounds are of high hazard and recommended exposure limits for occupational exposure have been adopted by national authorities in many countries.

<b>Pesticide</b>	<b>CAS number</b>	<b>Remarks</b>
Aluminium phosphide	20859-73-8	DS 46; EHC 73; HSG 28; JMPR 1972
Chloropicrin	76-06-2	JMPR 1965b
1,2-Dibromoethane	106-93-4	EHC 177; IARC 71
1,3-Dichloropropene	542-75-6	EHC 146; HSG 76; IARC 71
Ethylene dichloride	107-06-2	EHC 176; HSG 55; IARC 71
Ethylene oxide	75-21-8	HSG 16; JMPR 1972; IARC 60; CICAD 54
Formaldehyde	50-00-0	HSG 57; IARC 62; CICAD 40
Hydrogen cyanide	74-90-8	JMPR 1965b; CICAD 61
Magnesium phosphide	12057-74-8	DS 46; EHC 73; HSG 28; JMPR 1972
Methyl bromide	74-83-9	DS 5; EHC 166; HSG 86; JMPR 1972; IARC 71
Phosphine	7803-51-2	DS 46; EHC 73; HSG 28; JMPR 1972
Sulfuryl fluoride	2699-79-8	

EHC = Environmental Health Criteria Monograph; DS= Pesticide Data Sheet; HSG = Health and Safety Guide; IARC = IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; ICSC = International Chemical Safety Card; JMPR = Evaluation by the Joint FAO/WHO Meeting on Pesticide Residues.

## ANNEX

### HOW TO FIND THE HAZARD CLASS OF A FORMULATION

The following tables A-D can be used to find the hazard class of a formulation. These should be used only if toxicity data is not available on the formulation itself; see the note at the top of page 6.

The tables should be used as follows:

Step 1: What is the approved name of the active ingredient in the pesticide? Use the index to find the entry in tables 1-5 of the Guidelines.

Step 2: From the entry in the Guidelines, what is the route of application used for the classification? What is the physical state of the formulation?

If the route is O (oral) and the formulation is a solid, use table A of this Annex.

If the route is O (oral) and the formulation is a liquid, use table C of this Annex.

If the route is D (dermal) and the formulation is a solid, use table B of this Annex.

If the route is D (dermal) and the formulation is a liquid, use table D of this Annex.

Step 3: From the entry in the Guidelines, what is the LD<sub>50</sub> of the active ingredient.

Using the table A, B, C, or D, selected in Step 2, find the column along the top line which most nearly includes the LD<sub>50</sub> figure.

Step 4: What is the concentration % of the active ingredient in the formulation?

Using the same table A, B, C, or D, find the figure in the left hand column which most nearly includes this percentage figure.

Step 5: Find the square where the column selected in Step 3 crosses the line selected in Step 4. The number in this square is the approximate LD<sub>50</sub> of the formulation.

Step 6: The hazard classes are shown by blocks of squares. The hazard class of the formulation is that of the block in which lies the square selected in Step 5.

These tables can also be used to find the hazard class of mixtures. First see pages 6 and 7, para. 4 of the Guidelines and select the method to be used to arrive at the LD<sub>50</sub> of the mixture. For method (b), use the above method from Step 1, using the name of the more or most toxic ingredient. For method (c), pass to Step 4 using the total percentages of all active ingredients in the mixture.

Table A. LD<sub>50</sub> values and classification of formulations when the route is **oral** and the formulation **solid**

First row = Oral LD<sub>50</sub> of the active ingredient

First column = Percent concentration of the active ingredient in the formulation

	Class Ia				Class Ib								Class II										Class III																			
	1	3	5	10	15	20	25	30	35	40	45	50	60	70	80	90	100	120	140	160	180	200	250	300	350	400	450	500	600	700	800	900	1000	1200	1400	1600	1800	2000				
100	1	3	5	10	15	20	25	30	35	40	45	50	60	70	80	90	100	120	140	160	180	200	250	300	350	400	450	500	600	700	800	900	1000	1200	1400	1600	1800	2000				
95	1	3	5	11	16	21	26	32	37	42	47	53	63	74	84	95	105	126	147	168	189	211	263	316	368	421	474	526	632	737	842	947	1053	1263	1474	1684	1895					
90	1	3	6	11	17	22	28	33	39	44	50	56	67	78	89	100	111	133	156	178	200	222	278	333	389	444	500	556	667	778	889	1000	1111	1333	1556	1778						
85	1	4	6	12	18	24	29	35	41	47	53	59	71	82	94	106	118	141	165	188	212	235	294	353	412	471	529	588	706	824	941	1059	1176	1412	1647	1882						
80	1	4	6	13	19	25	31	38	44	50	56	63	75	88	100	113	125	150	175	200	225	250	313	375	438	500	563	625	750	875	1000	1125	1250	1500	1750	2000						
75	1	4	7	13	20	27	33	40	47	53	60	67	80	93	107	120	133	160	187	213	240	267	333	400	467	533	600	667	800	933	1067	1200	1333	1600	1867							
70	1	4	7	14	21	29	36	43	50	57	64	71	86	100	114	129	143	171	200	229	257	286	357	429	500	571	643	714	857	1000	1143	1286	1429	1714	2000							
65	2	5	8	15	23	31	38	46	54	62	69	77	92	108	123	138	154	185	215	246	277	308	385	462	538	615	692	769	923	1077	1231	1385	1538	1846								
60	2	5	8	17	25	33	42	50	58	67	75	83	100	117	133	150	167	200	233	267	300	333	417	500	583	667	750	833	1000	1167	1333	1500	1667	2000								
55	2	5	9	18	27	36	45	55	64	73	82	91	109	127	145	164	182	218	255	291	327	364	455	545	636	727	818	909	1091	1273	1455	1636	1818									
50	2	6	10	20	30	40	50	60	70	80	90	100	120	140	160	180	200	240	280	320	360	400	500	600	700	800	900	1000	1200	1400	1600	1800	2000									
45	2	7	11	22	33	44	56	67	78	89	100	111	133	156	178	200	222	267	311	356	400	444	556	667	778	889	1000	1111	1333	1556	1778	2000										
40	3	8	13	25	38	50	63	75	88	100	113	125	150	175	200	225	250	300	350	400	450	500	625	750	875	1000	1125	1250	1500	1750	2000											
35	3	9	14	29	43	57	71	86	100	114	129	143	171	200	229	257	286	343	400	457	514	571	714	857	1000	1143	1286	1429	1714	2000												
30	3	10	17	33	50	67	83	100	117	133	150	167	200	233	267	300	333	400	467	533	600	667	833	1000	1167	1333	1500	1667	2000	UNLIKELY												
25	4	12	20	40	60	80	100	120	140	160	180	200	240	280	320	360	400	480	560	640	720	800	1000	1200	1400	1600	1800	2000	TO PRESENT													
20	5	15	25	50	75	100	125	150	175	200	225	250	300	350	400	450	500	600	700	800	900	1000	1250	1500	1750	2000	ACUTE HAZARD															
15	7	20	33	67	100	133	167	200	233	267	300	333	400	467	533	600	667	800	933	1067	1200	1333	1667	2000	IN NORMAL USE																	
10	10	30	50	100	150	200	250	300	350	400	450	500	600	700	800	900	1000	1200	1400	1600	1800	2000																				
5	20	60	100	200	300	400	500	600	700	800	900	1000	1200	1400	1600	1800	2000																									
3	33	100	167	333	500	667	833	1000	1167	1333	1500	1667	2000																													
1	100	300	500	1000	1500	2000																																				
0.5	200	600	1000	2000																																						
0.3	333	1000	1667																																							
0.1	1000																																									
0.05	2000																																									

Table B. LD<sub>50</sub> values and classification of formulations when the route is **DERMAL** and the formulation **SOLID**

First row = Dermal LD<sub>50</sub> of the active ingredient

First column = Percent concentration of the active ingredient in the formulation

	Class Ia			Class Ib							Class II													Class III													
	1	5	10	20	30	40	50	60	70	80	90	100	120	140	160	180	200	250	300	350	400	450	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2500	3000	3500	4000
100	1	5	10	20	30	40	50	60	70	80	90	100	120	140	160	180	200	250	300	350	400	450	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2500	3000	3500	4000
95	1	5	11	21	32	42	53	63	74	84	95	105	126	147	168	189	211	263	316	368	421	474	526	632	737	842	947	1053	1263	1474	1684	1895	2105	2632	3158	3684	
90	1	6	11	22	33	44	56	67	78	89	100	111	133	156	178	200	222	278	333	389	444	500	556	667	778	889	1000	1111	1333	1556	1778	2000	2222	2778	3333		
85	1	6	12	24	35	47	59	71	82	94	106	118	141	165	188	212	235	294	353	412	471	529	588	706	824	941	1059	1176	1412	1647	1882	2118	2353	2941	3529		
80	1	6	13	25	38	50	63	75	88	100	113	125	150	175	200	225	250	313	375	438	500	563	625	750	875	1000	1125	1250	1500	1750	2000	2250	2500	3125	3750		
75	1	7	13	27	40	53	67	80	93	107	120	133	160	187	213	240	267	333	400	467	533	600	667	800	933	1067	1200	1333	1600	1867	2133	2400	2667	3333			
70	1	7	14	29	43	57	71	86	100	114	129	143	171	200	229	257	286	357	429	500	571	643	714	857	1000	1143	1286	1429	1714	2000	2286	2571	2857	3571			
65	2	8	15	31	46	62	77	92	108	123	138	154	185	215	246	277	308	385	462	538	615	692	769	923	1077	1231	1385	1538	1846	2154	2462	2769	3077				
60	2	8	17	33	50	67	83	100	117	133	150	167	200	233	267	300	333	417	500	583	667	750	833	1000	1167	1333	1500	1667	2000	2333	2667	3000	3333				
55	2	9	18	36	55	73	91	109	127	145	164	182	218	255	291	327	364	455	545	636	727	818	909	1091	1273	1455	1636	1818	2182	2545	2909	3273					
50	2	10	20	40	60	80	100	120	140	160	180	200	240	280	320	360	400	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2400	2800	3200	3600					
45	2	11	22	44	67	89	111	133	156	178	200	222	267	311	356	400	444	556	667	778	889	1000	1111	1333	1556	1778	2000	2222	2667	3111	3556						
40	3	13	25	50	75	100	125	150	175	200	225	250	300	350	400	450	500	625	750	875	1000	1125	1250	1500	1750	2000	2250	2500	3000	3500							
35	3	14	29	57	86	114	143	171	200	229	257	286	343	400	457	514	571	714	857	1000	1143	1286	1429	1714	2000	2286	2571	2857	3429								
30	3	17	33	67	100	133	167	200	233	267	300	333	400	467	533	600	667	833	1000	1167	1333	1500	1667	2000	2333	2667	3000	3333									
25	4	20	40	80	120	160	200	240	280	320	360	400	480	560	640	720	800	1000	1200	1400	1600	1800	2000	2400	2800	3200	3600										
20	5	25	50	100	150	200	250	300	350	400	450	500	600	700	800	900	1000	1250	1500	1750	2000	2250	2500	3000	3500												
15	7	33	67	133	200	267	333	400	467	533	600	667	800	933	1067	1200	1333	1667	2000	2333	2667	3000	3333														
10	10	50	100	200	300	400	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2500	3000	3500	4000																
5	20	100	200	400	600	800	1000	1200	1400	1600	1800	2000	2400	2800	3200	3600	4000																				
3	33	167	333	667	1000	1333	1667	2000	2333	2667	3000	3333	4000																								
1	100	500	1000	2000	3000	4000																															
0.5	200	1000	2000	4000																																	
0.3	333	1667	3333																																		
0.1	1000																																				

UNLIKELY

TO PRESENT

ACUTE HAZARD

IN NORMAL USE

Table C. LD<sub>50</sub> values and classification of formulations when the route is **ORAL** and the formulation **LIQUID**

First row = Oral LD<sub>50</sub> of the active ingredient

First column = Percent concentration of the active ingredient in the formulation

	Class Ia					Class Ib					Class II										Class III															
	1	5	10	15	20	30	40	50	60	70	80	90	100	120	140	160	180	200	250	300	350	400	450	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2500	3000
100	1	5	10	15	20	30	40	50	60	70	80	90	100	120	140	160	180	200	250	300	350	400	450	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2500	3000
95	1	5	11	16	21	32	42	53	63	74	84	95	105	126	147	168	189	211	263	316	368	421	474	526	632	737	842	947	1053	1263	1474	1684	1895	2105	2632	
90	1	6	11	17	22	33	44	56	67	78	89	100	111	133	156	178	200	222	278	333	389	444	500	556	667	778	889	1000	1111	1333	1556	1778	2000	2222	2778	
85	1	6	12	18	24	35	47	59	71	82	94	106	118	141	165	188	212	235	294	353	412	471	529	588	706	824	941	1059	1176	1412	1647	1882	2118	2353	2941	
80	1	6	13	19	25	38	50	63	75	88	100	113	125	150	175	200	225	250	313	375	438	500	563	625	750	875	1000	1125	1250	1500	1750	2000	2250	2500		
75	1	7	13	20	27	40	53	67	80	93	107	120	133	160	187	213	240	267	333	400	467	533	600	667	800	933	1067	1200	1333	1600	1867	2133	2400	2667		
70	1	7	14	21	29	43	57	71	86	100	114	129	143	171	200	229	257	286	357	429	500	571	643	714	857	1000	1143	1286	1429	1714	2000	2286	2571	2857		
65	2	8	15	23	31	46	62	77	92	108	123	138	154	185	215	246	277	308	385	462	538	615	692	769	923	1077	1231	1385	1538	1846	2154	2462	2769			
60	2	8	17	25	33	50	67	83	100	117	133	150	167	200	233	267	300	333	417	500	583	667	750	833	1000	1167	1333	1500	1667	2000	2333	2667	3000			
55	2	9	18	27	36	55	73	91	109	127	145	164	182	218	255	291	327	364	455	545	636	727	818	909	1091	1273	1455	1636	1818	2182	2545	2909				
50	2	10	20	30	40	60	80	100	120	140	160	180	200	240	280	320	360	400	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2400	2800					
45	2	11	22	33	44	67	89	111	133	156	178	200	222	267	311	356	400	444	556	667	778	889	1000	1111	1333	1556	1778	2000	2222	2667						
40	3	13	25	38	50	75	100	125	150	175	200	225	250	300	350	400	450	500	625	750	875	1000	1125	1250	1500	1750	2000	2250	2500	3000						
35	3	14	29	43	57	86	114	143	171	200	229	257	286	343	400	457	514	571	714	857	1000	1143	1286	1429	1714	2000	2286	2571	2857							
30	3	17	33	50	67	100	133	167	200	233	267	300	333	400	467	533	600	667	833	1000	1167	1333	1500	1667	2000	2333	2667	3000								
25	4	20	40	60	80	120	160	200	240	280	320	360	400	480	560	640	720	800	1000	1200	1400	1600	1800	2000	2400	2800										
20	5	25	50	75	100	150	200	250	300	350	400	450	500	600	700	800	900	1000	1250	1500	1750	2000	2250	2500	3000											
15	7	33	67	100	133	200	267	333	400	467	533	600	667	800	933	1067	1200	1333	1667	2000	2333	2667	3000													
12	8	42	83	125	167	250	333	417	500	583	667	750	833	1000	1167	1333	1500	1667	2083	2500	2917															
10	10	50	100	150	200	300	400	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2500	3000																
8	13	63	125	188	250	375	500	625	750	875	1000	1125	1250	1500	1750	2000	2250	2500																		
6	17	83	167	250	333	500	667	833	1000	1167	1333	1500	1667	2000	2333	2667	3000																			
5	20	100	200	300	400	600	800	1000	1200	1400	1600	1800	2000	2400	2800	3200																				
4	25	125	250	375	500	750	1000	1250	1500	1750	2000	2250	2500	3000																						
2	50	250	500	750	1000	1500	2000	2500	3000																											
1.5	67	333	667	1000	1333	2000	2667																													
1	100	500	1000	1500	2000	3000																														
0.5	200	1000	2000	3000																																
0.3	333	1667	3333																																	
0.1	1000																																			
0.05	2000																																			

UNLIKELY

TO PRESENT

ACUTE HAZARD

IN NORMAL USE

Table D. LD<sub>50</sub> values and classification of formulations when the route is **DERMAL** and the formulation **LIQUID**

First row = Dermal LD<sub>50</sub> of the active ingredient

First column = Percent concentration of the active ingredient in the formulation

	Class Ia							Class Ib													Class II											Class III								
	1	5	10	15	20	30	40	50	60	70	80	90	100	120	140	160	180	200	250	300	350	400	450	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2500	3000	3500	4000	5000	6000
100	1	5	10	15	20	30	40	50	60	70	80	90	100	120	140	160	180	200	250	300	350	400	450	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2500	3000	3500	4000	5000	6000
95	1	5	11	16	21	32	42	53	63	74	84	95	105	126	147	168	189	211	263	316	368	421	474	526	632	737	842	947	1053	1263	1474	1684	1895	2105	2632	3158	3684	4211	5263	
90	1	6	11	17	22	33	44	56	67	78	89	100	111	133	156	178	200	222	278	333	389	444	500	556	667	778	889	1000	1111	1333	1556	1778	2000	2222	2778	3333	3889	4444	5556	
85	1	6	12	18	24	35	47	59	71	82	94	106	118	141	165	188	212	235	294	353	412	471	529	588	706	824	941	1059	1176	1412	1647	1882	2118	2353	2941	3529	4118	4706	5882	
80	1	6	13	19	25	38	50	63	75	88	100	113	125	150	175	200	225	250	313	375	438	500	563	625	750	875	1000	1125	1250	1500	1750	2000	2250	2500	3125	3750	4375	5000		
75	1	7	13	20	27	40	53	67	80	93	107	120	133	160	187	213	240	267	333	400	467	533	600	667	800	933	1067	1200	1333	1600	1867	2133	2400	2667	3333	4000	4667	5333		
70	1	7	14	21	29	43	57	71	86	100	114	129	143	171	200	229	257	286	357	429	500	571	643	714	857	1000	1143	1286	1429	1714	2000	2286	2571	2857	3571	4286	5000	5714		
65	2	8	15	23	31	46	62	77	92	108	123	138	154	185	215	246	277	308	385	462	538	615	692	769	923	1077	1231	1385	1538	1846	2154	2462	2769	3077	3846	4615	5385			
60	2	8	17	25	33	50	67	83	100	117	133	150	167	200	233	267	300	333	417	500	583	667	750	833	1000	1167	1333	1500	1667	2000	2333	2667	3000	3333	4167	5000	5833			
55	2	9	18	27	36	55	73	91	109	127	145	164	182	218	255	291	327	364	455	545	636	727	818	909	1091	1273	1455	1636	1818	2182	2545	2909	3273	3636	4545	5455				
50	2	10	20	30	40	60	80	100	120	140	160	180	200	240	280	320	360	400	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2400	2800	3200	3600	4000	5000	6000				
45	2	11	22	33	44	67	89	111	133	156	178	200	222	267	311	356	400	444	556	667	778	889	1000	1111	1333	1556	1778	2000	2222	2667	3111	3556	4000	4444	5556					
40	3	13	25	38	50	75	100	125	150	175	200	225	250	300	350	400	450	500	625	750	875	1000	1125	1250	1500	1750	2000	2250	2500	3000	3500	4000	4500	5000						
35	3	14	29	43	57	86	114	143	171	200	229	257	286	343	400	457	514	571	714	857	1000	1143	1286	1429	1714	2000	2286	2571	2857	3429	4000	4571	5143	5714						
30	3	17	33	50	67	100	133	167	200	233	267	300	333	400	467	533	600	667	833	1000	1167	1333	1500	1667	2000	2333	2667	3000	3333	4000	4667	5333	6000							
25	4	20	40	60	80	120	160	200	240	280	320	360	400	480	560	640	720	800	1000	1200	1400	1600	1800	2000	2400	2800	3200	3600	4000	4800	5600									
20	5	25	50	75	100	150	200	250	300	350	400	450	500	600	700	800	900	1000	1250	1500	1750	2000	2250	2500	3000	3500	4000	4500	5000	6000										
15	7	33	67	100	133	200	267	333	400	467	533	600	667	800	933	1067	1200	1333	1667	2000	2333	2667	3000	3333	4000	4667	5333	6000												
10	10	50	100	150	200	300	400	500	600	700	800	900	1000	1200	1400	1600	1800	2000	2500	3000	3500	4000	4500	5000	6000															
5	20	100	200	300	400	600	800	1000	1200	1400	1600	1800	2000	2400	2800	3200	3600	4000	5000	6000																				
3	33	167	333	500	667	1000	1333	1667	2000	2333	2667	3000	3333	4000	4667	5333	6000																							
2	50	250	500	750	1000	1500	2000	2500	3000	3500	4000	4500	5000	6000																										
1	100	500	1000	1500	2000	3000	4000	5000	6000																															
0.5	200	1000	2000	3000	4000	6000																																		
0.4	250	1250	2500	3750	5000																																			
0.3	333	1667	3333	5000																																				
0.25	400	2000	4000																																					
0.15	667	3333																																						
0.1	1000	5000																																						
0.05	2000																																							
0.03	3333																																							
0.02	5000																																							

UNLIKELY

TO PRESENT

ACUTE HAZARD

IN NORMAL USE

## Pesticide active ingredients, which occur in Tables 1-8, in CAS no order

For each active ingredient, the classification (Ia, Ib, II, III, or U (unlikely to pose an acute hazard in normal use, O (obsolete), FM (fumigant), and page number(s) are given.

CAS no	Class	Page	CAS no	Class	Page	CAS no	Class	Page
50-00-0	FM	40	86-87-3	U	34	122-42-9	U	35
50-29-3	II	22, 39	86-88-4	O	37	122-88-3	III	26
50-31-7	III	29	87-17-2	O	38	123-33-1	U	34
50-65-7	U	34	87-86-5	Ib	19, 39	123-88-6	O	38, 39
51-03-6	U	35	88-85-7	O	37, 39	124-58-3	III	28
51-14-9	O	38	90-43-7	U	35	125-67-9	II	22
52-51-7	II	21	91-20-3	O	38	126-07-8	O	38
52-68-6	II	24	92-52-4	U	31	126-22-7	O	37
52-85-7	Ib	18	93-71-0	O	37	126-75-0	O	37
54-11-5	Ib	19	93-72-1	O	38	131-11-3	U	32
55-38-9	II	22	93-75-4	O	38	131-89-5	O	37
56-35-9	O	37	93-76-5	O	38, 39	132-66-1	U	34
56-38-2	Ia	16, 39	94-74-6	III	28	133-06-2	U	31
56-72-4	Ib	18	94-75-7	II	22	133-07-3	U	33
57-24-9	Ib	19	94-81-5	III	28	133-90-4	O	37
57-74-9	II	21, 39	94-82-6	III	26	134-31-6	O	38
58-89-9	II	23, 39	94-96-2	O	37	134-62-3	III	27
60-51-5	II	22	95-06-7	O	38	136-25-4	O	37
60-57-1	O	37, 39	96-12-8	O	37	137-26-8	III	29, 39
61-82-5	U	31	96-24-2	Ib	18	137-30-4	III	29
62-38-4	Ia	16, 39	97-17-6	O	37	137-42-8	II	23
62-73-7	Ib	18	97-23-4	III	26	139-40-2	U	35
62-74-8	Ia	16	99-30-9	U	32	140-41-0	O	38
63-25-2	II	21	101-05-3	O	37	140-56-7	O	38
66-81-9	O	37	101-21-3	U	32	140-57-8	O	37
72-20-8	O	37	101-27-9	O	37	141-03-7	O	37
72-43-5	U	34	101-42-8	O	38	141-66-2	Ib	18
72-54-8	O	38	103-17-3	O	37	142-59-6	II	23
74-83-9	FM	40	106-46-7	III	26	143-33-9	Ib	19
74-90-8	FM	40	106-93-4	FM	39, 40	143-50-0	O	37
75-15-0	O	37	107-02-8	Ib	18	148-79-8	U	36
75-21-8	FM	39, 40	107-06-2	FM	39, 40	149-26-8	O	37
75-60-5	III	27	107-13-1	O	37	150-68-5	O	38
75-99-0	U	32	107-18-6	Ib	18	152-16-9	O	38
76-03-9	II	24	107-49-3	O	38	156-62-7	O	37
76-06-2	FM	40	108-25-8	O	38	297-78-9	O	38
76-44-8	O	38, 39	108-62-3	II	23	297-97-2	O	38
76-87-9	II	22	112-12-9	III	29	297-99-4	Ia	16, 39
77-06-5	U	33	113-48-4	III	28	298-00-0	Ia	16, 39
78-34-2	O	37	114-26-1	II	24	298-02-2	Ia	16
78-57-9	O	38	115-26-4	O	37	298-03-3	O	37
78-87-5	O	37	115-29-7	II	22	298-04-4	Ia	16
79-11-8	III	26	115-31-1	O	38	299-84-3	O	38
80-06-8	O	37	115-32-2	III	27	299-86-5	O	37
80-33-1	O	37	115-78-6	II	21	300-76-5	II	23
80-38-6	O	38	115-90-2	O	38	301-12-2	Ib	19
81-81-2	Ib	19	116-01-8	O	37	309-00-2	O	37, 39
81-82-3	O	37	116-06-3	Ia	16	314-40-9	U	31
81-84-5	O	38	116-16-5	O	38	314-42-1	O	38
82-66-6	Ia	16	116-29-0	U	36	315-18-4	O	38
82-68-8	U	35	117-18-0	U	35	327-98-0	O	38
83-26-1	O	38	118-74-1	Ia	16, 39	330-54-1	U	32
83-59-0	O	38	118-75-2	O	37	330-55-2	U	34
83-79-4	II	24	119-12-0	III	29	333-41-5	II	22
84-65-1	U	31	120-23-0	III	28	371-86-8	O	38
84-74-2	O	37	120-62-7	O	38	465-73-6	O	38
85-34-7	O	37	121-75-5	III	28	467-69-6	U	33
86-50-0	Ib	18	122-14-5	II	22	470-90-6	Ib	18
86-86-2	U	34	122-34-9	U	35	485-31-4	O	37, 39



**Pesticide active ingredients, which occur in Tables 1-8, in CAS no order, continued**

For each active ingredient, the classification (Ia, Ib, II, III, or U (unlikely to pose an acute hazard in normal use, O (obsolete), FM (fumigant), and page number(s) are given.

CAS no	Class	Page	CAS no	Class	Page	CAS no	Class	Page
495-73-8	O	37	1314-84-7	Ib	19	2303-16-4	O	37
502-39-6	O	38, 39	1317-39-1	II	21	2303-17-5	III	29
502-55-6	O	38	1327-53-3	O	37	2307-49-5	O	38
507-60-8	O	38	1332-40-7	III	26	2307-68-8	U	35
510-15-6	O	37, 39	1420-06-3	O	38	2310-17-0	II	23
513-77-9	O	37	1420-07-1	Ib	18	2312-35-8	III	29
532-34-3	O	37	1468-37-7	O	37	2312-76-7	Ib	18, 39
533-74-4	III	26	1563-66-2	Ib	18, 39	2385-85-5	O	38
534-52-1	Ib	18, 39	1582-09-8	U	36	2425-06-1	Ia	16, 39
535-89-7	O	37	1593-77-7	U	32	2425-10-7	II	24
542-75-6	FM	40	1596-84-5	U	32	2439-01-2	III	26
555-37-3	U	34	1610-17-9	O	37	2439-10-3	III	27
556-22-9	O	38	1610-18-0	U	35	2439-99-8	O	38
556-61-6	II	23	1646-88-4	O	37	2487-01-6	O	38
563-12-2	II	22	1689-83-4	II	23	2497-07-6	O	38
584-79-2	III	26	1689-84-5	II	21	2514-53-6	O	37
584-79-2	II	21	1698-60-8	U	32	2536-31-4	O	37
590-28-3	O	38	1715-40-8	O	37	2540-82-1	O	38
592-01-8	Ia	16	1746-81-2	U	34	2550-75-6	O	37
608-73-1	II	23, 39	1754-58-1	O	37	2587-90-8	O	37
640-15-3	Ib	19	1836-75-5	O	38	2593-15-9	III	27
640-19-7	Ib	18, 39	1836-77-7	O	37	2595-54-2	Ib	19
644-64-4	O	37	1861-32-1	U	32	2597-03-7	II	23
650-51-1	U	35	1861-40-1	U	31	2631-37-0	O	38
671-04-5	O	37	1897-45-6	U	32	2631-40-5	II	23
682-80-4	O	37	1910-42-5	II	23	2636-26-2	II	21
709-98-8	III	28	1912-24-9	U	31	2642-71-9	Ib	18
731-27-1	U	36	1912-25-0	O	38	2655-14-3	III	29
732-11-6	II	23	1912-26-1	U	36	2655-19-8	O	37
741-58-2	II	21	1918-00-9	O	37	2669-32-1	O	38
756-09-2	U	33	1918-02-1	U	35	2674-91-1	O	37
759-94-4	II	22	1918-11-2	O	38	2675-77-6	O	37
786-19-6	O	37	1918-13-4	O	37	2693-61-0	O	38
834-12-8	III	26	1918-16-7	III	28	2699-79-8	FM	40
841-06-5	O	38	1918-18-9	O	38	2759-71-9	O	37
886-50-0	U	35	1929-77-7	O	38	2764-72-9	II	22
900-95-8	II	22	1929-82-4	III	28	2778-04-3	O	37
919-76-6	O	37	1929-88-0	O	37	2797-51-5	III	29
919-86-8	Ib	18	1967-16-4	O	37	2813-95-8	O	37
944-22-9	O	38	1982-47-4	O	37	2921-88-2	II	21
947-02-4	O	38	1982-49-6	U	35	2980-64-5	Ib	18, 39
950-10-7	O	38	2008-41-5	U	31	2941-55-1	O	37
950-37-8	Ib	19	2032-59-9	O	37	3060-89-7	U	34
957-51-7	III	27	2032-65-7	Ib	19	3134-12-1	O	38
973-21-7	II	22	2079-00-7	Ib	18	3337-71-1	U	31
991-42-4	O	38	2104-64-5	Ia	16	3347-22-6	III	27
999-81-5	III	26	2104-96-3	O	37	3383-96-8	U	35
1014-69-3	O	37	2163-69-1	O	37	3495-42-9	O	37
1014-70-6	III	29	2163-79-3	O	38	3547-33-9	U	33
1031-47-6	O	38	2164-08-1	II	23	3689-24-5	Ia	16
1071-83-6	U	33	2164-08-1	U	34	3691-35-8	Ia	16
1085-98-9	U	32	2164-09-2	O	37	3734-95-0	O	37
1086-02-8	O	38	2164-17-2	U	33	3737-22-2	U	32
1113-02-6	Ib	19	2212-67-1	II	23	3740-92-9	U	33
1114-71-2	II	23	2227-13-6	O	38	3766-60-7	O	37
1129-41-5	II	23	2227-47-0	O	37	3766-81-2	II	22
1134-23-2	III	26	2275-14-1	O	38	3792-59-4	O	37
1194-65-6	U	32	2275-18-5	O	38	3811-49-2	O	37
1303-96-4	U	31	2275-23-2	Ib	19	3813-05-6	U	31

**Pesticide active ingredients, which occur in Tables 1-8, in CAS no order, continued**

For each active ingredient, the classification (Ia, Ib, II, III, or U (unlikely to pose an acute hazard in normal use, O (obsolete), FM (fumigant), and page number(s) are given.

CAS no	Class	Page	CAS no	Class	Page	CAS no	Class	Page
3861-47-0	II	23	8065-36-9	O	37	17040-19-6	O	37
3878-19-1	II	22	9006-42-2	U	34	17109-49-8	Ib	18
4104-14-7	O	38	10004-44-1	U	33	17606-31-4	III	26
4147-51-7	O	37	10071-13-3	U	34	17804-35-2	U	31, 39
4151-50-2	III	29	10112-91-1	II	23, 39	18181-70-9	O	38
4234-79-1	O	38	10265-92-6	Ib	19, 39	18181-80-1	U	31
4301-50-2	O	38	10311-84-9	O	37	18467-77-1	U	32
4482-55-7	O	38	10380-28-6	U	34	18691-97-9	U	34
4489-31-0	O	38	10453-86-8	III	29	18854-04-8	Ib	18
4636-83-3	O	38	10537-47-0	O	38	19044-88-3	U	34
4658-28-0	O	37	10552-74-6	U	34	19408-46-9	U	34
4726-14-1	O	38	10605-21-7	U	31	19622-08-3	O	38
4824-78-6	O	37	12002-03-8	Ib	19	19666-30-9	U	34
4849-32-5	O	38	12057-74-8	FM	40	19691-80-6	O	37
5131-24-8	O	37	12071-83-9	U	35	19937-59-8	U	34
5221-53-4	U	32	12122-67-7	U	36	20354-26-1	O	38
5234-68-4	U	31	12407-86-2	O	38	20427-59-2	III	26
5259-88-1	U	34	12427-38-2	U	34	20856-57-9	O	37
5598-13-0	U	32	12771-68-5	U	31	20859-73-8	FM	40
5707-69-7	O	37	13067-93-1	O	37	21087-64-9	II	23
5787-96-2	Ib	18, 39	13071-79-9	Ia	16	21540-35-2	O	38
5827-05-4	O	38	13121-70-5	III	26	21542-18-6	O	38
5834-96-8	O	37	13171-21-6	Ia	16, 39	21548-32-3	O	38
5836-10-2	O	37	13181-17-4	O	37	21609-90-5	O	38
5836-29-3	Ib	18	13194-48-4	Ia	16	21725-46-2	II	21
5902-51-2	U	35	13356-08-6	U	33	21908-53-2	Ib	19, 39
5915-41-3	U	35	13360-45-7	O	37	21923-23-9	O	37
6164-98-3	O	37, 39	13457-18-6	II	24	22224-92-6	Ib	18
6392-46-7	O	37	13516-27-3	II	23	22248-79-9	U	36
6616-80-4	O	37	13577-71-4	O	38	22259-30-9	Ib	18
6923-22-4	Ib	19, 39	13593-03-8	II	24	22274-74-0	O	37
6988-21-2	O	37	13598-36-2	U	35	22571-07-9	O	38
7055-03-0	O	38	13684-56-5	U	32	22781-23-3	II	21
7085-19-0	III	28	13684-63-4	U	35	22936-75-0	III	27
7159-99-1	O	38	13952-84-6	II	21	23031-36-9	II	24
7187-36-7	O	38	14214-32-5	O	37	23103-98-2	II	24
7287-19-6	U	35	14255-88-0	O	38	23135-22-0	Ib	19
7292-16-2	O	38	14437-17-3	O	37	23184-66-9	U	31
7446-18-6	Ib	19	14484-64-1	U	33	23505-41-1	O	38
7487-94-7	Ia	16	14491-59-9	O	37	23560-59-0	Ib	18
7547-66-2	III	26	14750-35-4	U	31	23564-05-8	U	36
7681-49-4	O	38	14816-18-3	II	23	23564-06-9	O	38
7681-93-8	III	28	14816-20-7	O	37	23783-98-4	Ia	16, 39
7696-12-0	U	36	15096-52-3	U	32	23947-60-6	U	32
7700-17-6	O	37	15263-53-3	II	21	23950-58-5	U	35
7704-34-9	U	35	15299-99-7	U	34	24017-47-8	Ib	19
7758-98-7	II	21	15302-91-7	III	28	24151-93-7	II	24
7773-06-0	U	31	15310-01-7	O	37	24201-58-9	O	37
7775-09-9	III	29	15457-05-3	O	38	24353-58-0	O	37
7778-44-1	Ib	18	15545-48-9	U	32	24579-73-5	U	35
7784-40-9	Ib	19	15845-66-2	U	33	24691-76-7	O	38
7784-46-5	Ib	19	15879-93-3	II	21	24691-80-3	U	33
7803-51-2	FM	40	15972-60-8	III	26	24934-91-6	Ia	16
8001-35-2	O	37, 39	16118-49-3	U	31	25057-89-0	III	26
8003-05-2	O	38, 39	16484-77-8	III	28	25311-71-1	O	38
8003-34-7	II	24	16672-87-0	U	32	25319-90-8	III	28
8018-01-7	U	34	16752-77-5	Ib	19	25366-23-8	O	38
8047-13-0	O	38	16893-85-9	O	38	25954-13-6	U	33
8051-02-3	O	38	17029-22-0	O	38	26002-80-2	U	35

**Pesticide active ingredients, which occur in Tables 1-8, in CAS no order, continued**

For each active ingredient, the classification (Ia, Ib, II, III, or U (unlikely to pose an acute hazard in normal use, O (obsolete), FM (fumigant), and page number(s) are given.

CAS no	Class	Page	CAS no	Class	Page	CAS no	Class	Page
26087-47-8	III	28	35575-96-3	III	26	55179-31-2	U	31
26129-32-8	O	37	36335-67-8	II	21	55219-65-3	III	29
26225-79-6	U	33	36519-00-3	O	38	55283-68-6	U	32
26259-45-0	O	38	36614-38-7	O	38	55285-14-8	II	21
26399-36-0	O	38	36734-19-7	U	34	55290-64-7	III	27
26530-20-1	III	28	36756-79-3	U	36	55335-06-3	III	29
26644-46-2	U	36	37248-47-8	U	36	55511-98-3	O	37
26718-65-0	Ia	16	37407-77-5	O	37	55512-33-9	III	29
26766-27-8	O	38	37764-25-3	III	26	55634-91-8	U	31
27314-13-2	U	34	37893-02-0	O	38	55814-41-0	U	34
27355-22-2	U	35	37894-46-5	O	37	55861-78-4	III	28
27386-64-7	O	38	37924-13-3	O	38	56073-07-5	Ia	16
27541-88-4	O	38	38260-54-7	O	37	56073-10-0	Ia	16
27605-76-1	U	35	38727-55-8	O	37	56425-91-3	III	27
28217-97-2	O	37	39196-18-4	Ib	19	57018-04-9	U	36
28249-77-6	II	24	39300-45-3	III	27	57052-04-7	O	38
28434-01-7	U	31	39515-40-7	II	22	57130-91-3	O	38
28559-00-4	O	37	39603-48-0	O	37	57369-32-1	II	24
28772-56-7	Ia	16	40483-25-2	III	26	57375-63-0	O	38
28805-78-9	O	38	40487-42-1	III	28	57646-30-7	III	27
29091-05-2	U	32	40596-69-8	U	34	57754-85-5	U	32
29091-21-2	U	35	41083-11-8	II	21	57837-19-1	III	28
29104-30-1	O	37	41198-08-7	II	24	57966-95-7	III	26
29173-31-7	O	38	41205-09-8	U	33	58011-68-0	U	35
29232-93-7	III	28	41295-28-7	O	38, 39	58138-08-2	O	38
29672-19-3	O	38	41394-05-2	III	28	58667-63-3	O	38
29973-13-5	Ib	18	41483-43-6	U	31	58810-48-3	U	34
30043-49-3	O	37	41814-78-2	II	24	59669-26-0	II	24
30560-19-1	III	26	42509-80-8	O	38	59756-60-4	U	33
30979-48-7	O	38	42576-02-3	U	31	60168-88-9	U	33
31218-83-4	Ib	19	42588-37-4	O	38	60207-31-0	II	21
31251-03-3	O	38	42609-52-9	U	32	60207-90-1	II	24
31848-11-0	O	37	42609-73-4	U	34	60207-93-4	O	37
31895-22-4	II	24	42874-03-3	U	34	60568-05-0	O	38
32407-99-1	O	38, 39	43121-43-3	III	29	61213-25-0	U	33
32534-96-6	O	37	43222-48-6	II	22	61432-55-1	III	27
32791-87-0	U	32	50471-44-8	U	36	62610-77-9	II	23
32809-16-8	U	35	50512-35-1	III	28	62850-32-2	III	27
32861-85-1	O	37	50563-36-5	III	27	62865-36-5	U	32
33089-61-1	III	26	50594-66-6	III	26	62924-70-3	U	33
33245-39-5	III	27	51218-45-2	III	28	63278-33-1	O	37
33629-47-9	III	26	51218-49-6	U	35	63284-71-9	III	28
33693-04-8	II	24	51235-04-2	III	27	63333-35-7	Ia	16
33820-53-0	O	38	51308-54-4	O	37	63935-38-6	U	32
33878-50-1	O	37	51487-69-5	O	37	64249-01-0	II	21
34014-18-1	III	29	51630-58-1	II	22	64257-84-7	II	22
34123-59-6	III	28	51707-55-2	U	36	64491-92-5	O	38
34205-21-5	U	32	52304-36-6	U	33	64628-44-0	U	36
34256-82-1	III	26	52315-07-8	II	21	64902-72-3	U	32
34264-24-9	O	38	52315-07-8	Ib	19	65907-30-4	Ib	18
34462-96-9	O	38	52645-53-1	II	23	65934-95-4	O	38
34643-46-4	II	24	52888-80-9	II	24	66063-05-6	U	34
34681-10-2	Ib	18	52918-63-5	II	22	66215-27-8	U	32
34681-23-7	Ib	18	53112-28-0	U	35	66230-04-4	II	22
35256-85-0	O	37	53369-07-6	III	27	66246-88-6	U	34
35256-85-0	U	35	53780-34-0	III	28	66332-96-5	U	33
35367-38-5	U	32	54406-48-3	III	27	66841-25-6	II	24
35400-43-2	O	38	54593-83-8	Ia	16	66952-49-6	II	23
35554-44-0	II	23	54864-61-8	O	38	67129-08-2	U	34

**Pesticide active ingredients, which occur in Tables 1-8, in CAS no order, continued**

For each active ingredient, the classification (Ia, Ib, II, III, or U (unlikely to pose an acute hazard in normal use, O (obsolete), FM (fumigant), and page number(s) are given.

CAS no	Class	Page	CAS no	Class	Page	CAS no	Class	Page
67306-00-7	II	22	82097-50-5	U	36	107534-96-3	III	29
67375-30-8	II	22	82110-72-3	O	38	108173-90-6	II	23
67485-29-4	III	28	82211-24-3	U	34	110235-47-7	U	34
67564-91-4	U	33	82558-50-7	U	34	110488-70-5	U	32
67747-09-5	III	28	82560-54-1	II	21	111479-05-1	U	35
68038-71-1	U	31	82657-04-3	II	21	111991-09-4	U	34
68085-85-8	II	21	83055-99-6	U	31	111988-49-9	II	24
68228-20-6	O	38	83066-88-0	III	27	112143-82-5	II	24
68359-37-5	II	21	83121-18-0	U	35	112226-61-6	U	33
68359-37-5	II	21	83130-01-2	II	21	112281-77-3	II	24
68505-69-1	U	31	83164-33-4	U	32	112410-23-8	U	35
69309-47-3	O	38	83657-22-1	III	29	112839-32-4	O	38
69327-76-0	U	31	83657-24-3	III	27	113036-87-6	U	35
69335-91-7	O	38	83733-82-8	O	38	114369-43-6	U	33
69377-81-7	U	33	84087-01-4	U	35	116170-30-0	O	38
69409-94-5	O	38	84332-86-5	U	32	116255-48-2	II	21
69581-33-5	O	37	84496-56-0	U	32	118134-30-8	II	24
69806-34-4	II	23	85509-19-9	III	27	118712-89-3	U	36
70124-77-5	Ib	18	85785-20-2	III	27	119168-77-3	III	29
70193-21-4	O	38	86479-06-3	U	33	119446-68-3	III	27
71048-99-2	II	21	86598-92-7	U	34	119738-06-6	II	24
71422-67-8	U	32	87130-20-9	U	32	120068-37-3	II	22
71561-11-0	III	29	87310-56-3	O	37	120162-55-2	U	31
71626-11-4	U	31	87757-18-4	O	38	120928-09-8	II	22
72178-02-0	III	27	87818-31-3	U	32	121451-02-3	U	34
73250-68-7	U	34	87820-88-0	III	29	122008-85-9	U	32
73886-28-9	O	38	88283-41-4	III	29	122453-73-0	II	21
74051-80-2	III	29	88485-37-4	II	22	122931-48-0	U	35
74070-46-5	U	31	88671-89-0	III	28	123343-16-8	U	35
74115-24-5	U	32	89269-64-7	III	27	124495-18-7	U	35
74223-56-6	U	35	90035-08-8	Ia	16	125116-23-6	III	28
74223-64-6	U	34	90134-59-1	U	33	125401-75-4	U	31
74712-19-9	U	31	90717-03-6	U	35	126535-15-7	U	36
74738-17-3	U	33	94050-52-9	U	33	126833-17-8	U	33
74782-23-3	U	34	94361-06-5	III	26	130000-40-7	U	36
75736-33-3	O	37	94593-91-6	U	32	131807-57-3	U	33
76578-12-6	III	29	95465-99-9	Ib	18	131860-33-8	U	31
76608-88-3	O	38	95721-12-3	O	38	131929-60-7	U	35
76674-21-0	III	27	95737-68-1	U	35	131929-63-0	U	35
76738-62-0	III	28	96182-53-5	Ia	16	131983-72-7	U	36
77458-01-6	II	24	96489-71-3	III	29	136191-56-5	U	35
77501-60-1	III	27	97886-45-8	U	32	136849-15-5	U	32
77732-09-3	III	28	98389-04-9	U	35	138164-12-2	III	26
78587-05-0	U	33	98730-04-2	U	31	138261-41-3	II	23
79127-80-3	U	33	98967-40-9	U	33	139528-85-1	U	34
79277-27-3	U	36	99283-00-8	U	32	140923-17-7	U	34
79538-32-2	Ib	19	99387-89-0	III	29	142459-58-3	III	27
79983-71-4	U	33	101007-06-1	U	31	144740-54-5	U	33
80060-09-9	U	32	101205-02-1	U	32	145701-21-9	U	32
80844-07-1	U	33	101463-69-8	U	33	145701-23-1	U	33
81334-34-1	U	33	102851-06-9	U	33	149253-65-6	U	33
81335-37-7	U	33	103112-35-2	U	33	161050-58-4	U	34
81335-77-5	U	34	104030-54-8	U	31	168316-95-8	U	35
81405-85-8	U	33	104653-34-1	Ia	16	181274-17-9	U	33
81412-43-3	II	24	106040-48-6	U	36	219714-96-2	U	35
81777-89-1	II	21						

## INDEX. CLASSIFICATION OF ACTIVE PESTICIDE INGREDIENTS

**Ia = Extremely hazardous; IB = Highly hazardous; II =Moderately hazardous; III = slightly hazardous; U = Unlikely to present acute hazard in normal use; FM =Fumigant, not classified; O = Obsolete as pesticide, not classified.**

Common name	Class	Page	Common name	Class	Page	Common name	Class	Page
Acephate	III	26	Benfuresate	U	31	<i>Butralin</i>	III	26
Acetochlor	III	26	Benodanil	O	37	Butroxydim	III	26
Acifluorfen	III	26	Benomyl	U	31, 39	Buturon	O	37
Aclonifen	U	31	Benoxacor	U	31	Butylamine	II	21
Acrinathrin	U	31	Benquinox	O	37	Butylate	U	31
Acrolein	Ib	18	Bensulfuron-methyl	U	31	Cacodylic acid, see Dimethylarsinic acid	III	27
Acrylonitrile	O	37	Bensulide	II	21	Cadusafos	Ib	18
Alachlor	III	26	Bensultap	III	26	Calcium arsenate	Ib	18
Alanycarb	II	21	Bentazone	III	26	Calcium cyanamide	O	37
Aldicarb	Ia	16	Benthrondine, see Benfluralin	U	31	Calcium cyanide	Ia	16
Aldoxycarb	O	37	Benamidazole, see Isoxaben	U	34	Camphechlor	O	37
Aldrin	O	37, 39	Benfosfos, see Phosalone	II	23	Captafol	Ia	16,39
Allethrin	III	26	Benzoximate	O	37	Captan	U	31
Allidochlor	O	37	Benzoylprop-ethyl	O	37	Carbamorph	O	37
Alloxydim	U	31	Benzthiazuron	O	37	Carbanolate	O	37
Allyl alcohol	Ib	18	BHC, see HCH	II	23	Carbaryl	II	21
Allylxy carb	O	37	Bifenox	U	31	Carbendazim	U	31
Alphachlorohydrin, see 3-Chloro-2,3-propanediol	Ib	18	Bifenthrin	II	21	Carbetamide	U	31
Alpha-cypermethrin	II	22	Bilanafos	II	21	Carbofos, see Malathion	III	28
Aluminium phosphide	FM	40	Binapacryl	O	37, 39	Carbofuran	Ib	18, 39
Ametryn	III	26	Bioallethrin	II	21	Carbon disulfide	O	37
Amidithion	O	37	Bioresmethrin	U	31	Carbophenothion	O	37
Aminocarb	O	37	Biphenyl	U	31	Carbosulfan	II	21
Aminotriazole, see Amitrole	U	31	Bis(tributyltin) oxide	O	37	Carboxin	U	31
Amitraz	III	26	Bispyribac	U	31	Carpropamid	U	31
Amitrole	U	31	Bisthiosemi	O	37	Cartap	II	21
Ammonium sulfamate	U	31	Bitertanol	U	31	Chinomethionat	III	26
Ancymidol	U	31	Blasticidin-S	Ib	18	<i>Chlomethoxyfen</i>	O	37
Anilazine	O	37	BMPC, see Fenobucarb	II	22	Chloralose	II	21
Anilofos	II	21	Borax	U	31	<i>Chloramben</i>	O	37
Anthraquinone	U	31	Brodifacoum	Ia	16	Chloraniformethan	O	37
ANTU	O	37	Bromacil	U	31	Chloranil	O	37
Aramite	O	37	Bromadiolone	Ia	16	Chloranocryl	O	37
Arsenous oxide	O	37	Bromethalin	Ia	16	Chloransulam methyl	U	31
Asulam	U	31	Bromobutide	U	31	Chlorbenside	O	37
Athidathion	O	37	Bromocyclen	O	37	Chlorbicyclen	O	37
Atraton	O	37	<i>Bromofenoxim</i>	O	37	<i>Chlorbromuron</i>	O	37
Atrazine	U	31	Bromophos	O	37	Chlorbufam	O	37
Azaconazole	II	21	Bromophos-ethyl	O	37	Chlordane	II	21,39
Azamethiphos	III	26	Bromopropylate	U	31	Chlordecone	O	37
Azimsulfuron	U	31	Bromoxynil	II	21	Chlordimeform	O	37, 39
Azidithion (Menazon)	O	38	Bromuconazole	II	21	Chlorethoxyfos	Ia	16
Azinphos-ethyl	Ib	18	Bronopol	II	21	Chlorfenac	O	37
Azinphos-methyl	Ib	18	Bufencarb	O	37	Chlorfenapyr	II	21
Aziprotryne	O	37	Bupirimate	U	31	Chlorfenethol	O	37
Azocyclotin	II	21	Buprofezin	U	31	Chlorfenidin (Monuron)	O	38
Azothoate	O	37	Butacarb	O	37	Chlorfenprop-methyl	O	37
Azoxystrobine	U	31	Butachlor	U	31	Chlorfenson	O	37
<i>Bacillus thuringiensis</i>	U	31	Butam	O	37	Chlorfensulfide	O	37
Barban	O	37	Butamifos	II	21	Chlorfenvinphos	Ib	18
Barium carbonate	O	37	Butenachlor	O	37	Chlorfluazuron	U	32
Benalaxyl	U	31	Buthidazole	O	37	Chlorflurecol, see Chlorflurenol	O	37
Benazolin	U	31	Buthiobate	O	37	Chlorflurenol	O	37
Bendiocarb	II	21	Butocarboxim	Ib	18	Chloridazon	U	32
Benefin, see Benfluralin	U	31	Butonate	O	37	Chlorimuron	U	32
Benfluralin	U	31	Butopyronoxyl	O	37	Chlormebuform	O	37
Benfuracarb	II	21	Butoxycarboxim	Ib	18	Chlormephos	Ia	16

## INDEX. CLASSIFICATION OF ACTIVE PESTICIDE INGREDIENTS, CONTINUED

**Ia = Extremely hazardous; IB = Highly hazardous; II =Moderately hazardous; III = slightly hazardous; U = Unlikely to present acute hazard in normal use; FM =Fumigant, not classified; O = Obsolete as pesticide, not classified.**

Common name	Class	Page	Common name	Class	Page	Common name	Class	Page
Chlormequat (chloride)	III	26	CVP, see			Diafenthuron	U	32
Chlormethiuron	O	37	Chlorfenvinphos	Ib	18	Dialifor (Dialifos)	O	37
Chlornitrofen	O	37	Cyanazine	II	21	Dialifos	O	37
Chloroacetic acid	III	26	Cyanofenphos	O	37	Di-allate	O	37
Chlorobenzilate	O	37, 39	CYAP, see Cyanophos	II	21	Diallyldichloroacetamide,		
Chlorocholine chloride, see			Cyanophos	II	21	see Dichlormid	III	26
Chlormequat (chloride)	III	26	Cyanthoate	O	37	Diamidafos	O	37
Alphachlorohydrin, see			Cycloate	III	26	Dibrom, See Naled	II	23
3-Chloro-2,3-propanediol	Ib	18	Cycloheximide	O	37	Diazinon	II	22
Chloroneb	O	37	Cycloprothrin	U	32	Dibromochloropropane	O	37
Chlorophacinone	Ia	16	Cyclosulfamuron	U	32	1,2-Dibromoethane		
Chloropicrin	FM	40	Cycloxydim	U	32	(EDB)	FM	39, 40
3-Chloro-1,2-propanediol	Ib	18	Cycluron	O	37	Dibutyl phthalate	O	37
Chloropropylate	O	37	Cyfluthrin	II	21	Dibutyl succinate	O	37
Chlorothalonil	U	32	Beta-cyfluthrin	II	21	Dicamba	III	26
Chlorotoluron	U	32	Cyhalofop	U	32	Dichlobenil	U	32
Chloroxuron	O	37	Cyhalothrin	II	21	Dichlofenthion	O	37
Chlorphenamidine			Lambda-cyhalothrin	II	23	Dichlofluanid	U	32
(Chlordimeform)	O	37, 39	CYP (Cyanofenphos)	O	37	Dichlorfenidim, see Diuron	U	32
Chlorphonium chloride	O	37	Cyhexatin	III	26	Dichlormid	III	26
Chlorphoxim	O	37	Cymoxanil	III	26	Dichlorobenzene	III	26
Chlorpropham	U	32	Cyometrinil	O	37	Dichlorophen	III	26
Chlorpyrifos	II	21	Cypendazole	O	37	Dichloropicolinic acid,		
Chlorpyrifos methyl	U	32	Cypermethrin	II	21	see Clopyralid	U	32
Chlorquinox	O	37	Alpha-cypermethrin	II	22	1,2-Dichloropropane	O	37
Chlorsulfuron	U	32	Cyphenothrin			1,3-Dichloropropene	FM	39, 40
Chlorthal-dimethyl	U	32	[(1R)-isomers]	II	22	Dichlorprop	III	26
<i>Chlorthiamid</i>	O	37	Cyproconazole	III	26	Dichlorvos	Ib	18
Chlorthiophos	O	37	Cyprofuram	O	37	Dichlozoline	O	37
Chlozolate	U	32	Cypromid	O	37	Diclobutrazol	O	37
Cinmethylin	U	32	Cyromazine	U	32	Diclofop	III	26
Cinosulfuron	U	32	2,4-D	II	22	Diclomezine	U	32
Cismethrin,			Daimuron	U	32	Dicloran	U	32
see Resmethrin	III	29	Dalapon	U	32	Diclosulam	U	32
Citrex, see Dodine	III	27	Daminozide	U	32	Dicofol	III	27
Cloethocarb	O	37	DAPA (Fenaminosulf)	O	38	Dicrotophos	Ib	18
Clofentezine	U	32	Dazomet	III	26	Dieldrin	O	37, 39
Clofop	O	37	DBCP (Dibromochloro			<i>Dieno chlor</i>	O	37
Clomazone	II	21	propane)	O	37	Diethatyl	O	37
Clomeprop	U	32	<i>DCBN (Chlorthiamid)</i>	O	37	Diethofencarb	U	32
Clonitralide,			2,4-DB	III	26	Diethyltoluamide	III	27
see Niclosamide	U	35	DDT	II	22,39	Difenacoum	Ia	16
Clopyralid	U	32	DDVF, see Dichlorvos	Ib	18	Difenoconazole	III	27
Cloxyfonac	U	32	DDVP, see Dichlorvos	Ib	18	Difenoaxuron	O	37
CNA, see Dicloran	U	32	DEET,			Difenzoquat	II	22
COMU (Cycluron)	O	37	see Diethyltoluamide	III	27	Difethialone	Ia	16
Copper hydroxide	III	26	Dehydroacetic acid (Disul))	O	37	Diflubenzuron	U	32
Copper oxychloride	III	26	Delachlor	O	37	Diffluenican	U	32
Copper sulfate	II	21	Delnav (Dioxathion)	O	37	Difolatan, see Captafol	Ia	16, 39
Coumachlor	O	37	Deltamethrin	II	22	Dikegulac	U	32
Coumaphos	Ib	18	Demephion-O	O	37	Dimefox	O	37
Coumatetralyl	Ib	18	Demephion-S	O	37	Dimefuron	U	32
4-CPA	III	26	Demeton-O	O	37	Dimepiperate	III	27
Credazine	O	37	Demeton-S	O	37	Dimethachlor	III	27
Crimidine	O	37	Demeton-S-methyl	Ib	18	Dimethametryn	III	27
Crotoxyphos	O	37	Demeton-S-methylsulphon	O	37	Dimethipin	III	27
Crufomate	O	37	2,4-DES (Disul)	O	37	Dimethirimol	U	32
Cryolite	U	32	Desmedipham	U	32	Dimethoate	II	22
Cuprous oxide	II	21	<i>Desmetryn</i>	O	37	Dimethomorph	U	32

## INDEX. CLASSIFICATION OF ACTIVE PESTICIDE INGREDIENTS, CONTINUED

**Ia = Extremely hazardous; IB = Highly hazardous; II =Moderately hazardous; III = slightly hazardous; U = Unlikely to present acute hazard in normal use; FM =Fumigant, not classified; O = Obsolete as pesticide, not classified.**

Common name	Class	Page	Common name	Class	Page	Common name	Class	Page
Dimethyl phthalate	U	32	Esdeballéthrin,			Fenson	O	38
Dimethylarsinic acid	III	27	see Bioallethrin	II	21	Fensulfothion	O	38
Dimetilan	O	37	Esfenvalerate	II	22	Fenthiaprop	O	38
Dimexano	O	37	ESP (Oxydeprofos)	O	37	Fenthion	II	22
Dinex	O	37	Esprocarb	III	27	Fentin acetate	II	22
Diniconazole	III	27	Etacelasil	O	37	Fentin hydroxide	II	22
Dinitramine	U	32	Etaconazole	O	37	<i>Fenuron</i>	O	38
Dinobuton	II	22	Ethalfuralin	U	32	<i>Fenuron-TCA</i>	O	38
Dinocap	III	27	Ethephon	U	32	Fenvalerate	II	22
Dinocton	O	37	Ethidimuron	O	37	Ferbam	U	33
Dinoseb	O	37,39	Ethiofencarb	Ib	18	Ferimzone	III	27
Dinoseb acetate	O	37,39	Ethiolate	O	37	Fipronil	II	22
Dinoterb	Ib	18	Ethion	II	22	Flamprop	O	38
Dioxabenzophos	O	37	Ethirimol	U	32	Flamprop-M	U	33
Dioxacarb	O	37	Ethoate-methyl	O	37	Flocoumafen	Ia	16
Dioxathion	O	37	Ethofumesate	U	33	<i>Florasulam</i>	U	33
Diphacinone	Ia	16	Ethohexadiol	O	37	Fluazifop	O	38
Diphenamid	III	27	Ethoprop,			Fluazifop-p-butyl	III	27
Diphenyl, see Biphenyl	U	31	see Ethoprophos	Ia	16	Flubenzimine	O	38
Dipropetryn	O	37	Ethoprophos	Ia	16	Flucarbazono-sodium	U	33
Dipropyl isocincomerate	U	32	<i>Ethyl butylacetylaminopropionate</i>			Fluchloralin	III	27
Diquat	II	22		U	33	Flucycloxuron	U	33
Disodium octaborate,			Ethylene dibromide	FM	39, 40	Flucythrinate	Ib	18
see Borax	U	31	Ethylene dichloride	FM	39, 40	Fluenteil	O	38
Disul	O	37	Ethylene oxide	FM	39, 40	Flufenacet	III	27
Disulfoton	Ia	16	Ethyleneglycol-bis(trichloroacetate)			Flufenoxuron	U	33
Ditalimfos	O	37		O	37	Flumetralin	U	33
Dithianon	III	27	Ethylthiometon,			Flumetsulam	U	33
Dithiopyr	U	32	see Disulfoton	Ia	16	Fluometuron	U	33
Diuron	U	32	Etofenprox	U	33	Fluoroacetamide	Ib	18,39
DMTP, see Methidathion	Ib	19	Etridiazole	III	27	Fluorodifen	O	38
DNBP (Dinoseb)	O	37, 39	<i>Etrimfos</i>	O	37	Fluoroglycofen	III	27
DNBPA			EXD	O	38	Fluoromide	O	38
(Dinoseb acetate)	O	37, 39	Famoxadone	U	33	Fluotrimazole	O	38
DNOC	Ib	18,39	Famphur	Ib	18	Flupropanate	U	33
Dodemorph	U	32	Fenaminoisulf	O	38	Flupyrsulfuron	U	33
Dodine	III	27	Fenamiphos	Ib	18	Flurecol-butyl,		
Doguanide, see Dodine	III	27	Fenarimol	U	33	see Flurenol	U	33
Drazoxolon	O	37	Fenazaflor	O	38	Flurenol	U	33
DSMA, see			Fenazaquin	II	22	Fluridone	U	33
Methylarsonic acid	III	28	<i>Fenbuconazole</i>	U	33	Flurochloridone	U	33
EDDP, see Edifenphos	Ib	18	Fenbutatin oxide	U	33	Fluroxypyr	U	33
Edifenphos	Ib	18	Fenclorazole	U	33	Flurprimidol	III	27
Eglinazine	O	37	Fenclorphos	O	38	Flusilazole	III	27
Empenthrin [(1R) isomers]	III	27	Fenclorim	U	33	Fluthiacet	U	33
Endosulfan	II	22	Fenfuram	U	33	Flutolanil	U	33
Endothal-sodium	II	22	Fenhexamid	U	33	Flutriafol	III	27
Endothion	O	37	<i>Fenidim</i> , see <i>Fenuron</i>	O	38	tau-Fluvalinate	U	33
Endrin	O	37	Fenitropan	O	38	Fluvalinate	O	38
EPBP	O	37	Fenitrothion	II	22	Fluxofenim	II	22
Ephirsulfonate			Fenobucarb	II	22	Folpet	U	33
see Chlorfenson	O	37	Fenoprop (Silvex)	O	38	Fomesafen	III	27
EPN	Ia	16	Fenothiocarb	III	27	<i>Fonofos</i>	O	38
Epoxyethane,			Fenoxacarb	O	38	Formaldehyde	FM	40
see Ethylene oxide	FM	39, 40	Fenoxycarb	U	33	Formetanate	Ib	18
EPTC	II	22	Fenpiclonil	U	33	<i>Formothion</i>	O	38
Erbon	O	37	Fenpropathrin	II	22	Fosamine	U	33
Esbiol, see Bioallethrin	II	21	Fenpropidin	II	22	Fosetyl	U	33
Esbiothrin, see Bioallethrin	II	21	Fenpropimorph	U	33	Fosfamid, see Dimethoate	II	22

## INDEX. CLASSIFICATION OF ACTIVE PESTICIDE INGREDIENTS, CONTINUED

**Ia = Extremely hazardous; IB = Highly hazardous; II = Moderately hazardous; III = slightly hazardous; U = Unlikely to present acute hazard in normal use; FM = Fumigant, not classified; O = Obsolete as pesticide, not classified.**

Common name	Class	Page	Common name	Class	Page	Common name	Class	Page
Fosmethilan	O	38	<i>Isazofos</i>	O	38	Mephospholan	O	38
Fosthietan	O	38	Isobenzan	O	38	Mepiquat	III	28
Fuberidazole	II	22	Isobornyl thiocynoacetate	O	38	Mepronil	U	34
Furalaxyl	III	27	Isocarbamid	O	38	Mercapthphos (Demeton-O)	O	37
Furathiocarb	Ib	18	Isocil	O	38	and Demeton-S )	O	37
Furconazole-cis	O	38	Isodrin	O	38	Mercaptodimethur,		
Furmecyclox	O	38	<i>Isofenphos</i>	O	38	see Methiocarb	II	23
Gamma-BHC,			Isomethiozin	O	38	Mercuric chloride	Ia	16, 39
see gamma-HCH	II	23, 39	Isonoruron	O	38	Mercuric oxide	Ib	19, 39
Gamma-HCH	II	23, 39	Isoprocab	II	23	Mercurous chloride	II	23, 39
Gibberellic acid	U	33	Isopropalin	O	38	Metalexyl	III	28
Glufosinate	III	27	Isoprothiolane	III	28	Metaldehyde	II	23
Glyodin	O	38	Isoproturon	III	28	Metamitron	III	28
Glyphosate	U	33	Isothioate	O	38	Metam-sodium	II	23
Glyphosine	O	38	Isouron	III	28	Metaphos,		
Griseofulvin	O	38	Isoxaben	U	34	see Parathion-methyl	Ia	16
Guazatine	II	23	Isoxapyrifop	O	38	Metazachlor	U	34
Halacrinat	O	38	Isoxathion	Ib	18	Metconazole	III	28
<i>Halofenozide</i>	U	33	Jodfenphos	O	38	Methabenzthiazuron	U	34
Haloxydine	O	38	Karbation,			Methacrifos	II	23
Haloxypop	II	23	see Metam-sodium	II	23	Methamidophos	Ib	19, 39
HCH	II	23,39	Karbutilate	O	38	Methasulfocarb	II	23
<i>Heptachlor</i>	O	38,39	Kasugamycin	U	34	Methazole	O	38
Heptenophos	Ib	18	Kelevan	O	38	Methidathion	Ib	19
Heptopargil	O	38	Keltane, see Dicofol	III	27	Methiocarb	Ib	19
Hexachloroacetone	O	38	Kinoprene	O	38	Methiuron	O	38
Hexachlorobenzene	Ia	16,39	Lambda-cyhalothrin	II	23	Methomyl	Ib	19
Hexaconazole	U	33	Lead arsenate	Ib	19	Methoprene	U	34
Hexaflumuron	U	33	Lenacil	U	34	Methoprotryne	O	38
Hexaflurate	O	38	Leptophos	O	38	Methoxychlor	U	34
Hexazinone	III	27	Lindane,			Methoxyethylmercury		
Hexythiazox	U	33	see Gamma-HCH	II	23, 39	silicate	O	38, 39
Hydramethylnon	III	28	Linuron	U	34	Methoxymethyl mercury		
Hydrogen cyanide	FM	40	Lythidathion	O	38	chloride	O	38, 39
Hydroprene	U	33	M74, see Disulfoton	Ia	16	Methoxyphenone	O	38
2-Hydroxyethyl-			Magnesium phosphide	FM	40	<i>Methozyfenozide</i>	U	34
octyl sulphide	U	33	Malathion	III	28	Methyl bromide	FM	40
Hydroxyisoxazole,			Maldison, see Malathion	III	28	Methyl isothiocyanate	II	23
see Hymexazol	U	33	Maleic hydrazide	U	34	Methylarsonic acid	III	28
Hydroxyquinolinesulfate	O	38	Malonoben	O	38	Methyldymron	U	34
Hymexazol	U	33	Mancozeb	U	34	Methylmercaptphos teolovy,		
Imazalil	II	23	Maneb	U	34	see Demeton-S-methyl	Ib	18
Imazamethabenzmethyl	U	33	MBCP (Leptophos)	O	38	Methylmercury		
Imazapyr	U	33	MCC (SWEP)	O	38	dicyandiamide	O	38, 39
Imazaquin	U	33	MCPA	III	28	Methyl-parathion	Ia	16, 39
Imazethapyr	U	34	MCPA-thioethyl	III	28	Metilmerkaptophosoksid,		
Imibenconazole	U	34	MCPB	III	28	see Oxydemeton-methyl	Ib	19
Imidacloprid	II	23	Mebenil	O	38	Metiram	U	34
Iminoctadine	II	23	Mecarbam	Ib	19	Metobromuron	U	34
Inabenfide	U	34	Mecarbinzid	O	38	Metolachlor	III	28
Iodofenphos (Jodfenphos)	O	38	Mecarphon	O	38	Metolcarb	II	23
Ioxynil	II	23	Mecoprop	III	28	Metosulam	U	34
Ioxynil octanoate	II	23	Mecoprop-P	III	28	Metoxuron	U	34
Ipazine	O	38	Medinoterb acetate	O	38	Metribuzin	II	23
IBP, see Iprobenfos	III	28	Mefenacet	U	34	Metiltriiazotion,		
Iprobenfos	III	28	Mefluidide	III	28	see Azinphos-methyl	Ib	18
Iprodione	U	34	Menazon	O	38	Metsulfovax	O	38
Iprovalicarb	U	34	MEP, see Fenitrothion	II	22	Metsulfuron methyl	U	34
IPSP	O	38	Mepanipyrim	U	34			



## INDEX. CLASSIFICATION OF ACTIVE PESTICIDE INGREDIENTS, CONTINUED

**Ia = Extremely hazardous; IB = Highly hazardous; II =Moderately hazardous; III = slightly hazardous; U = Unlikely to present acute hazard in normal use; FM =Fumigant, not classified; O = Obsolete as pesticide, not classified.**

Common name	Class	Page	Common name	Class	Page	Common name	Class	Page
Metsulfuron, see Metsulfuron methyl	U	34	Oxine-copper	U	34	Pirimiphos-methyl	III	28
Mevinphos	Ia	16	Oxycarboxin	U	34	Polychlorocamphene (Camphechlor)	O	37, 39
Mexacarbate	O	38	Oxydemeton-methyl	Ib	19	Potassium cyanate	O	38
MICP, see Isoprocarb	II	23	Oxydisulfoton	O	38	Prallethrin	II	24
Mipafox	O	38	Oxyfluorfen	U	34	Pretilachlor	U	35
Mirex2	O	38	2,4 PA, see 2,4-D	II	22	Primisulfuron	U	35
Molinate	II	23	Paclobutrazol	III	28	Probenazole	U	35
Monalide	O	38	Palléthrin, see Allethrin	III	26	Prochloraz	III	28
Monocrotophos	Ib	19, 39	PAP, see Phenthoate	II	23	Procymidone	U	35
Monolinuron	U	34	Paradichlorobenzene, see Dichlorobenzene	III	26	Prodiamine	U	35
Monuron	O	38	Parafluron	O	38	Profenofos	II	24
Monuron-TCA	O	38	Paraquat	II	23	Profluralin	O	38
Morfamquat	O	38	Parathion	Ia	16, 39	Proglinazine	O	38
MPMC, see Xylylcarb	II	24	Parathion-methyl	Ia	16, 39	Promacyl	O	38
MPP, see Fenthion	II	22	Paris green	Ib	19	Promecarb	O	38
MSMA, see Methylarsonic acid	III	28	Pebulate	II	23	Prometon	U	35
Myclobutanil	III	28	Penconazole	U	34	Prometryn	U	35
Myclozolin	O	38	Pencycuron	U	34	Pronamide, see Propyzamide	U	35
Nabam	II	23	Pendimethalin	III	28	Propachlor	III	28
NAC, see Carbaryl	II	21	Pentachlorophenol	Ib	19, 39	Propamocarb	U	35
Naled	II	23	Pentanochlor	U	35	Propanil	III	28
Naphthalene	O	38	Perfluidone	O	38	<i>Propaphos</i>	O	38
Naphthalic anhydride	O	38	Permethrin	II	23	Propaquizafop	U	35
2-(1-Naphthyl) acetamide	U	34	PHC, see Propoxur	II	24	Propargite	III	29
1-Naphthylacetic acid	U	34	Phenisobromolate, see Bromopropylate	U	31	Propazine	U	35
Napropamide	U	34	Phenisopham	O	38	Propetamphos	Ib	19
Naptalam	U	34	Phenkaptan	O	38	Propham	U	35
2-Naphthoxyacetic acid	III	28	Phenmedipham	U	35	Propiconazole	II	24
Neburon	U	34	Phenobenzuron	O	38	Propineb	U	35
Niclosamide	U	34	Phenothrin	U	35	Propoxur	II	24
Nicosulfuron	U	34	Phenthoate	II	23	Propyl isome	O	38
Nicotine	Ib	19	Phenylmercury acetate	Ia	16, 39	Propyzamide	U	35
Nitralin	O	38	Phenylmercury dimethyl- dithiocarbamate	O	38, 39	Prosulfocarb	II	24
Nitrapyrin	III	28	Phenylmercury nitrate	O	38, 39	Prothiocarb	O	38
Nitrilacarb	O	38	2-Phenylphenol	U	35	Prothiofos	II	24
Nitrofen	O	38	Phorate	Ia	16	Prothoate	O	38
Nitrothal-isopropyl	U	34	Phosacetim	O	38	Protiophos, see Prothiofos	II	24
Norbormide	O	38	Phosalone	II	23	Proxan	O	38
Norflurazon	U	34	Phosdiphen	O	38	Pydanon	O	38
Noruron	O	38	Phosfolan	O	38	Pyracarbolid	O	38
<i>Noviflumuron</i>	U	34	Phosmet	II	23	Pyraclofos	II	24
Nuarimol	III	28	Phosphamidon	Ia	16, 39	Pyrazolynate	U	35
Octhilinone	III	28	Phosphine	FM	40	Pyrazon, see Chloridazon	U	32
N-octylbicycloheptene dicarboximide	III	28	Phosphorus acid	U	35	Pyrazophos	II	24
(Octylthio)ethanol, see 2-Hydroxyethyloctyl sulphide	U	33	Phoxim	II	23	Pyrazosulfuron	U	35
Ofurace	U	34	Phthalide	U	35	Pyrazoxyfen	III	29
Omethoate	Ib	19	Phthalofos, see Phosmet	II	23	Pyrethrins	II	24
Oryzalin	U	34	Picloram	U	35	Pyridaben	III	29
Oxabetrinil	U	34	Pimaricin	III	28	Pyridate	III	29
Oxadiazon	U	34	<i>Pindone</i>	O	38	Pyridinitril	O	38
Oxadixyl	III	28	Piperonyl butoxide	U	35	Pyrifenox	III	29
Oxamyl	Ib	19	Piperophos	II	24	Pyrimethanil	U	35
Oxapyrazon	O	38	Piproctanyl	O	38	Pyriminobac	U	35
			Pirimicarb	II	24	Pyriproxyfen	U	35
			<i>Pirimiphos-ethyl</i>	O	38	Pyrithiobac sodium	U	35

## INDEX. CLASSIFICATION OF ACTIVE PESTICIDE INGREDIENTS, CONTINUED

**Ia = Extremely hazardous; IB = Highly hazardous; II = Moderately hazardous; III = slightly hazardous; U = Unlikely to present acute hazard in normal use; FM = Fumigant, not classified; O = Obsolete as pesticide, not classified.**

Common name	Class	Page	Common name	Class	Page	Common name	Class	Page
Pyroquilon	II	24	Sulfuryl fluoride	FM	40	Timet, see Phorate	Ia	16
Quinacetol sulfate	O	38	Sulphur	U	35	Tiocarbazil	U	36
Quinalphos	II	24	<i>Sulprofos</i>	O	38	TMTD, see Thiram	III	29
Quinclorac	U	35	SWEP	O	38	Tolclofos-methyl	U	36
Quinmerac	U	35	2,4,5-T	O	38, 39	Tolyfluanid	U	36
Quinoclamine	III	29	tau-Fluvalinate	U	33	Tolylmethylcarbamate, see Metolcarb	II	23
Quinomethionate, see Chinomethionat	III	26	2,3,6-TBA	III	29	Toxaphene (Camphechlor)	O	37, 39
Quinonamid	O	38	TCA (acid)	II	24	2,4,5-TP (Fenoprop)	O	38
Quinoxifen	U	35	TCA (sodium salt)	U	35	Tralkoxydim	III	29
Quintozene	U	35	TDE	O	38	Tralomehrin	II	24
Quizalofop	III	29	Tebuconazole	III	29	Transfluthrin	U	36
Quizalofop-p-tefuryl	II	24	<i>Tebufenozide</i>	U	35	Triadimefon	III	29
Red squill (Scilliroside)	O	38	Tebufenpyrad	III	29	Triadimenol	III	29
Reglon, see Diquat	II	22	Tebupirimfos	Ia	16	Tri-allate	III	29
Resmethrin	III	29	Tebutam	U	35	Triamiphos	O	38
Rimsulfuron	U	35	Tebuthiuron	III	29	Triapenthenol	O	38
Ronnel (Fenchlorphos)	O	38	Tecnazene	U	35	Triarimol	O	38
Rotenone	II	24	Tedion, see Tetradifon	U	36	Triasulfuron	U	36
Ryania	O	38	Teflubenzuron	U	35	Triazamate	II	24
Ryanocline (Ryania)	O	38	Tefluthrin	Ib	19	Triazophos	Ib	19
Sabadilla	O	38	Temephos	U	35	Triazotion, see Azinphos-ethyl	Ib	18
Salicylanilide	O	38	TEPP	O	38	Tribenuron	U	36
Salithion (Dioxabenzophos)	O	37	Terbacil	U	35	Tricamba	O	38
SAP, see Bensulide	II	21	Terbucarb	O	38	Trichlamide	O	38
Schradan	O	38	Terbufos	Ia	16	Trichlorfon	II	24
Scilliroside	O	38	Terbumeton	II	24	Trichloronat	O	38
Secbumeton	O	38	Terbutylazine	U	35	Tricoppyr	III	29
Sec-butylamine, see Butylamine	II	21	Terbutryn	U	35	Tricyclazole	II	24
Sesamex	O	38	Tetrachlorvinphos	U	36	Tridemorph	II	24
Sethoxydim	III	29	Tetraconazole	II	24	Tridiphane	O	38
Sevin, see Carbaryl	II	21	Tetradifon	U	36	Trietazine	U	36
Siduron	U	35	Tetramethrin	U	36	Trifenmorph	O	38
Silvex (Fenoprop)	O	38	Tertrasul	O	38	Triflumizole	III	29
Simazine	U	35	Thallium sulfate	Ib	19	Triflururon	U	36
Simetryn	III	29	Thiabendazole	U	36	Trifluralin	U	36
Sodium arsenite	Ib	19	Thiacloprid	II	24	Triflusulfuron-methyl	U	36
Sodium borate, see Borax	U	31	Thiazafuron	O	38	Triforine	U	36
Sodium chlorate	III	29	Thiazfluorin, see Thiazafuron	O	38	Trimethacarb	O	38
Sodium cyanide	Ib	19	Thicyofen	O	38	Triticonazole	U	36
<i>Sodium fluoride</i>	O	38	Thidiazuron	U	36	Trizazotion, see Azinphos-ethyl	Ib	18
Sodium fluoroacetate	Ia	16	Thifensulfuron-methyl	U	36	Undecan-2-one	III	29
<i>Sodium hexafluorosilicate</i>	O	38	<i>Thifluzamide</i>	U	36	Uniconazole	III	29
Spinosad	U	35	Thiobencarb	II	24	Validamycin	U	36
Spiroxamine	II	24	Thiocyclam	II	24	Vamidotion	Ib	19
Stirofox, see Tetrachlorvinphos	U	36	Thiodan, see Endosulfan	II	22	<i>Vernolate</i>	O	38
Strychnine	Ib	19	Thiodicarb	II	24	Vinclozolin	U	36
Sulfallate	O	38	Thiofanox	Ib	19	Warfarin	Ib	19
Sulfuramid	III	29	Thiofos, see Parathion	Ia	16, 39	XMC	III	29
Sulfometuron	U	35	Thiometon	Ib	19	Xylylcarb	II	24
Sulfotep	Ia	16	Thionazin	O	38	Zeta-cypermethrin	Ib	19
Sulfur, see Sulphur	U	35	Thiophanate	O	38	Zinc phosphide	Ib	19
Sulfoxide	O	38	Thiophanate-methyl	U	36	Zineb	U	36
			Thioquinox	O	38	Ziram	III	29
			Thioxamyl, see Oxamyl	Ib	19			
			Thiram	III	29, 39			

**ISBN 92 4 154663 8**



